



We are your partner in DIY.

Let's buy directly from the producer!

Product catalogue | 2026

One of the largest manufacturers of shelving systems in the European Union and at the same time a purely Czech, prosperous and globally oriented manufacturing company whose primary activity is a large-scale metal production.



We use only eco-friendly paints



The mark of responsible forestry







Hello, we are the "Trestles Family," which will now guide you through the entire catalogue for the year 2026. You probably don't know that we have our own video on YouTube in both English and Czech languages. If you want to see it, simply enter TRESTLES. We look forward to seeing you.

*Where I am,
you will find
newly added
products.*





TRESTLES, a. s. is one of the largest manufacturing companies in Europe supplying its products in the "Do it yourself" segment.

Almost 95% is exported to Western markets. Our customers are wholesale chains and companies operating in e-commerce.

The indisputable advantage of our company is high production and storage capacities, including our own development workplace, where we are able to produce almost every product at the customer's request.

Production takes place in our own facilities, fully supported by our in-house machinery.

Our credo is the high quality of products, which confirms the company's position on European market.


This makes us significantly different from our competition.

FEROPLAST spol. s r.o. is one of the leading European manufacturers of wire programs, retail shelves, and promotional stands.

The majority of our production is exported to international markets, where we collaborate with major retail chains and e-commerce companies.

Since 2024, FEROPLAST spol. s r.o. has been a subsidiary of TRESTLES, a.s., significantly expanding our offerings in the DIY segment.





We are a purely Czech, prosperous, and globally oriented manufacturing company, whose primary activity is a large-scale metalworking focused mainly on the production of boltless shelving, handling equipment, building trestles, transport trucks, steel fences and other specific metal products. Currently, our product portfolio consists of more than 1000 types of products.

Production takes place on both universal and single-purpose automated workplaces, lines or technological units. This wide range of technological options allows us to use the most suitable production method for your order. We have our own development and construction of both products and profiling lines using the latest computer technology, with regard to design, economics and of course the environment.

| 1 600 000+ pcs of shelving per year
| 1000+ types of products
| 30+ countries worldwide supplied
| 30+ years of experience

We are a member of the ANACOT CAPITAL group. The group builds long-term successful projects that stand out in their character. It sets ideal conditions for the growth of companies in the whole concern. Success is built on perfect knowledge of the market and true analytical information.

Companies under the wings of ANACOT CAPITAL a.s. employ more than 850 people and the turnover is over CZK 2,23 billion.



Our team



Michaela Kosturíková
Business Director
+420 734 437 775
michaela.kosturikova@trestles.cz



Tomáš Svrčina
Head of Marketing
and Sales Support Department
+420 777 844 829
tomas.svrcina@trestles.cz



Pavlína Křížek
Officer Sales Department
+420 725 468 867
pavlina.krizek@trestles.cz



Andrea Owczarzyová
Deputy Sales Director
+420 602 528 054
andrea.owczarzyova@trestles.cz



Petra Náduvvari
Officer Sales Department
+420 734 437 770
petra.nadudvari@trestles.cz



Katarína Beňová
Business Development Manager
+420 602 514 451
katarina.benova@trestles.cz



Zdeňka Seberová
Officer Sales Department
+420 725 822 459
zdenka.seberova@trestles.cz



Jan Trela
Product Marketing Specialist
+420 774 820 207
jan.trela@trestles.cz

09 | SHELVING



63 | SACK TRUCKS



79 | TRANSPORT TRUCKS



86 | BUILDING TRESTLES



91 | METAL FURNITURE



100 | HOME AND GARDEN



108 | STEEL FENCES



121 | WIRE PROGRAM (FEROPLAST)



157 | ANACOT CAPITAL GROUP





SHELVING

We produce a wide range of shelving systems, mainly boltless, the advantage of which is quick and easy assembly.

Shelving systems are suitable for garages, warehouses, shops, cellars, workshops, archives, offices or food pantries, but also for large stores or industry. They are called storage shelving for their use.

The advantage is that you order the shelving directly from the manufacturer, so they are Czech shelving. All shelving systems are our know-how. The basic type of shelf is chipboard, but we can also supply shelves made of MDF, HDF or with a wood decor. Some types of shelving also have a metal shelf or a mesh shelf.

Our shelving are variable, the load capacity, dimensions, design and number of shelves can be adapted to the customer's wishes, but in this case the minimum order quantity is 5 pallets.

All mentioned dimensions are only of an informative character.

page

11 | LIGHT-DUTY SHELVING

Shelving:

RP5NF with *metal shelves*

Load capacity up to **100 kg** per shelf

RR3 Interior shelving with *modern wooden decor shelves*

Load capacity up to **125 kg** per shelf

RNDU with *chipboard shelves* Load capacity up to **175 kg** per shelf

RHUM with sheet *metal shelves* Load capacity up to **175 kg** per shelf

RHUW with *wire shelves* Load capacity up to **175 kg** per shelf

RHU with *chipboard shelves* Load capacity up to **175 kg** per shelf

page

38 | HEAVY-DUTY SHELVING

Shelving:

RNC with *chipboard shelves*

Load capacity up to **800 kg** per shelf

RK Cantilever Shelving

Load capacity up to **200 kg** per cantilever

page

26 | MEDIUM-DUTY SHELVING

Shelving:

RR2SKLB with *chipboard shelves*

Load capacity up to **300kg** per shelf

RR2-KLB with *chipboard shelves*

Load capacity up to **500 kg** per shelf

RH with *chipboard shelves* Load capacity up to **440 kg** per shelf

RTCL with *chipboard shelves* Load capacity up to **440 kg** per shelf

RTCL - IUE with *metal shelves* Load capacity up to **475 kg** per shelf

RHBN with *chipboard shelves* Load capacity up to **600 kg** per shelf

RR1 with *chipboard shelves* Load capacity up to **850 kg** per shelf

page


58 | CUSTOM-DESIGNED SHELVING SOLUTIONS

Light Shelving

RP5NF70-5

Steel Shelving

On our shelves, we want to show you a wide range of colours in which we can powder coat our products that have already become a hit in 2023. Use unconventional colours for traditional products and add a touch of playfulness to your storage space or warehouse! Don't be afraid of colours!



Don't be
afraid
of colours

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RP5NF70-5

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RP5NF40705	RP5NF40705Z
1 800	1 000	400	RP5NF4010705	RP5NF4010705Z

- boltless system with locks
- 5x steel shelves
- maximum load capacity: 70 kg/shelf

RR3125-5

Steel Shelving

Shelf load capacity
125 kg

Wooden shelves



boltless system with locks
closed smooth upright
5x wooden shelves
we offer white HDF or wooden decor shelves
maximum load capacity: 125 kg/shelf

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	300	RR3301255	RR3301255Z
1 800	900	400	RR3401255	RR3401255Z
1 800	900	450	RR3451255	RR3451255Z
1 800	900	500	RR3501255	RR3501255Z
1 800	1 000	300	RR330101255	RR330101255Z
1 800	1 000	400	RR340101255	RR340101255Z
1 800	1 000	450	RR345101255	RR345101255Z
1 800	1 000	500	RR350101255	RR350101255Z

blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RR3

Steel Shelving WOOD-DECOR

- indoor shelving unit
- tool-free assembly system
- smooth upright profile
- option to split into two separate units
- 4x wood decor shelves
- maximum load capacity: 70 kg/shelf

Shelf load capacity
70 kg



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1600	900	300	RR330901804	RR330901804Z

blue | RAL 5017 ●
 light grey | RAL 7035 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 orange | RAL 2004 ●
 white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RHU4040-6

Steel Shelving

- boltless system with lugs
- 6x wooden shelves
- maximum load capacity: 175 kg/shelf




Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
2 150	400	400	RHU40406	RHU40406Z

RHU175-5

Steel Shelving

- boltless system with lugs
- 5x wooden shelves
- maximum load capacity: 175 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	300	RHU301755	RHU301755Z
1 800	900	400	RHU401755	RHU401755Z
1 800	900	450	RHU451755	RHU451755Z
1 800	900	500	RHU501755	RHU501755Z
1 800	900	600	RHU601755	RHU601755Z
1 800	1 000	300	RHU30101755	RHU30101755Z
1 800	1 000	400	RHU40101755	RHU40101755Z
1 800	1 000	450	RHU45101755	RHU45101755Z
1 800	1 000	500	RHU50101755	RHU50101755Z
1 800	1 000	600	RHU60101755	RHU60101755Z

RHUM175-5

Steel Shelving

- boltless system with lugs
- 5x steel shelves
- maximum load capacity: 175 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	300	RHUM301755	RHUM301755Z
1 800	900	400	RHUM401755	RHUM401755Z
1 800	900	450	RHUM451755	RHUM451755Z
1 800	900	500	RHUM501755	RHUM501755Z
1 800	900	600	RHUM601755	RHUM601755Z
1 800	1 000	300	RHUM30101755	RHUM30101755Z
1 800	1 000	400	RHUM40101755	RHUM40101755Z
1 800	1 000	450	RHUM45101755	RHUM45101755Z
1 800	1 000	500	RHUM50101755	RHUM50101755Z
1 800	1 000	600	RHUM60101755	RHUM60101755Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.


RHUM175-6

Steel Shelving

- boltless system with lugs
- 6x steel shelves
- maximum load capacity: 175 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
2 450	1 000	450	RHUM45101756	RHUM45101756Z




RHUW175-5

Steel Shelving

- boltless system with lugs
- 6x wire shelves
- maximum load capacity: 175 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RHUW401755	RHUW401755Z



- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RNDU150-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity 150 kg/shelf




Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	300	RNDUKUI301504	RNDUKUI301504Z
1 800	900	400	RNDUKUI401504	RNDUKUI401504Z
1 800	900	450	RNDUKUI451504	RNDUKUI451504Z
1 800	900	500	RNDUKUI501504	RNDUKUI501504Z
1 800	900	600	RNDUKUI601504	RNDUKUI601504Z

RNDU150-5

Steel Shelving

- boltless system with butterflies
- 5x wooden shelves
- maximum load capacity 150 kg/shelf




Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	300	RNDUKUI301505	RNDUKUI301505Z
1 800	900	400	RNDUKUI401505	RNDUKUI401505Z
1 800	900	450	RNDUKUI451505	RNDUKUI451505Z
1 800	900	500	RNDUKUI501505	RNDUKUI501505Z
1 800	900	600	RNDUKUI601505	RNDUKUI601505Z

RNDU175-5

Steel Shelving

- boltless system with butterflies
- 5x wooden shelves
- maximum load capacity 175 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	300	RNDUKCQ301755	RNDUKCQ301755Z
1 800	900	400	RNDUKCQ401755	RNDUKCQ401755Z
1 800	900	450	RNDUKCQ451755	RNDUKCQ451755Z
1 800	900	500	RNDUKCQ501755	RNDUKCQ501755Z
1 800	900	600	RNDUKCQ601755	RNDUKCQ601755Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

Medium-Duty Shelving

RR2SKLB300-5

Bolted Shelving with a Steel Construction



Shelf load capacity
300 kg

Shelving
of a new
generation

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RR2SKLB403005	RR2SKLB403005Z
1 800	900	450	RR2SKLB453005	RR2SKLB453005Z
1 800	900	500	RR2SKLB503005	RR2SKLB503005Z
1 800	900	600	RR2SKLB603005	RR2SKLB603005Z

- bolted system of a new generation
- 5x wooden shelves
- solid, stable, and flexible construction
- long lifespan and stability
- maximum load capacity: 300 kg/shelf

blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RR2KLB500-5

Steel Shelving

- boltless system with butterflies
- 5x wooden shelves
- maximum load capacity 500 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 200	450	RR2KLB45125005	RR2KLB45125005Z
1 800	1 200	500	RR2KLB50125005	RR2KLB50125005Z
1 800	1 200	600	RR2KLB60125005	RR2KLB60125005Z
1 800	1 400	450	RR2KLB45145005	RR2KLB45145005Z
1 800	1 400	500	RR2KLB50145005	RR2KLB50145005Z
1 800	1 400	600	RR2KLB60145005	RR2KLB60145005Z

RR2KLB400-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity 400 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	450	RR2KLB45164004	RR2KLB45164004Z
1 800	1 600	500	RR2KLB50164004	RR2KLB50164004Z
1 800	1 600	600	RR2KLB60164004	RR2KLB60164004Z



- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RH265-5

Steel Shelving

- boltless system with lugs
- 5x wooden shelves
- maximum load capacity: 265 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RH402655	RH402655Z
1 800	900	450	RH452655	RH452655Z
1 800	900	500	RH502655	RH502655Z
1 800	900	600	RH602655	RH602655Z
1 800	1 000	400	RH40102655	RH40102655Z
1 800	1 000	450	RH45102655	RH45102655Z
1 800	1 000	500	RH50102655	RH50102655Z
1 800	1 000	600	RH60102655	RH60102655Z

RH320-5

Steel Shelving

- boltless system with lugs
- 5x wooden shelves
- maximum load capacity: 320 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 200	450	RH45123205	RH45123205Z
1 800	1 200	500	RH50123205	RH50123205Z
1 800	1 200	600	RH60123205	RH60123205Z
1 800	1 400	450	RH45143205	RH45143205Z
1 800	1 400	500	RH50143205	RH50143205Z
1 800	1 400	600	RH60143205	RH60143205Z
1 800	1 500	450	RH45153205	RH45153205Z
1 800	1 500	500	RH50153205	RH50153205Z
1 800	1 500	600	RH60153205	RH60153205Z

RH440-5

Steel Shelving

- boltless system with lugs
- 5x wooden shelves
- maximum load capacity: 440 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 200	450	RH45124405	RH45124405Z
1 800	1 200	500	RH50124405	RH50124405Z
1 800	1 200	600	RH60124405	RH60124405Z
1 800	1 400	450	RH45144405	RH45144405Z
1 800	1 400	500	RH50144405	RH50144405Z
1 800	1 400	600	RH60144405	RH60144405Z
1 800	1 500	450	RH45154405	RH45154405Z
1 800	1 500	500	RH50154405	RH50154405Z
1 800	1 500	600	RH60154405	RH60154405Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ●

Our products can be powder coated also in different RAL colour shades.

RHBN400-4

Steel Shelving

- boltless system with lugs
- 4x wooden shelves
- maximum load capacity: 400 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 800	450	RHBN45184004	RHBN45184004Z
1 800	1 800	500	RHBN50184004	RHBN50184004Z
1 800	1 800	600	RHBN60184004	RHBN60184004Z

RHBN500-4

Steel Shelving

- boltless system with lugs
- 4x wooden shelves
- maximum load capacity: 500 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 400	450	RHBN45145004	RHBN45145004Z
1 800	1 400	500	RHBN50145004	RHBN50145004Z
1 800	1 400	600	RHBN60145004	RHBN60145004Z
1 800	1 500	450	RHBN45155004	RHBN45155004Z
1 800	1 500	500	RHBN50155004	RHBN50155004Z
1 800	1 500	600	RHBN60155004	RHBN60155004Z
1 800	1 600	450	RHBN45165004	RHBN45165004Z
1 800	1 600	500	RHBN50165004	RHBN50165004Z
1 800	1 600	600	RHBN60165004	RHBN60165004Z

RHBN600-4

Steel Shelving

- boltless system with lugs
- 4x wooden shelves
- maximum load capacity: 600 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 200	450	RHBN45126004	RHBN45126004Z
1 800	1 200	500	RHBN50126004	RHBN50126004Z
1 800	1 200	600	RHBN60126004	RHBN60126004Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RR1MGK550-4

Steel Shelving



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 000	600	RR1MGK60205504	RR1MGK60205504Z
1 800	2 000	700	RR1MGK70205504	RR1MGK70205504Z
1 800	2 000	800	RR1MGK80205504	RR1MGK80205504Z

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 550 kg/shelf

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RR1320-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 320 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 000	600	RR160203204	RR160203204Z
1 800	2 200	600	RR160223204	RR160223204Z
2 000	2 000	600	RR1602023204	RR1602023204Z
2 000	2 200	600	RR1602223204	RR1602223204Z

RR1420-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 420 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RR160164204	RR160164204Z
1 800	1 800	600	RR160184204	RR160184204Z
2 000	1 600	600	RR1601624204	RR1601624204Z
2 000	1 800	600	RR1601824204	RR1601824204Z

RR1MGK490-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 490 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 200	600	RR1MGK60224904	RR1MGK60224904Z
1 800	2 200	700	RR1MGK70224904	RR1MGK70224904Z
1 800	2 200	800	RR1MGK80224904	RR1MGK80224904Z

- blue | RAL 5017
- light grey | RAL 7035
- dark grey | RAL 7031
- black | RAL 9005
- orange | RAL 2004
- white | RAL 9003

Our products can be powder coated also in different RAL colour shades.

RR1MGK850-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 850 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1800	600	RR1MGK60188504	RR1MGK60188504Z
1 800	1800	700	RR1MGK70188504	RR1MGK70188504Z
1 800	1800	800	RR1MGK80188504	RR1MGK80188504Z

RR1MGL500-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 500 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 200	600	RR1MGL60225004	RR1MGL60225004Z
1 800	2 200	700	RR1MGL70225004	RR1MGL70225004Z
1 800	2 200	800	RR1MGL80225004	RR1MGL80225004Z
1 800	2 400	600	RR1MGL60245004	RR1MGL60245004Z
1 800	2 400	700	RR1MGL70245004	RR1MGL70245004Z
1 800	2 400	800	RR1MGL80245004	RR1MGL80245004Z

RR1MGL600-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 600 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 200	600	RR1MGL60226004	RR1MGL60226004Z
1 800	2 200	700	RR1MGL70226004	RR1MGL70226004Z
1 800	2 200	800	RR1MGL80226004	RR1MGL80226004Z
1 800	2 400	600	RR1MGL60246004	RR1MGL60246004Z
1 800	2 400	700	RR1MGL70246004	RR1MGL70246004Z
1 800	2 400	800	RR1MGL80246004	RR1MGL80246004Z


blue | RAL 5017 ●
 light grey | RAL 7035 ●
 dark grey | RAL 7031 ●
 black | RAL 9005 ●
 orange | RAL 2004 ●
 white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RR1MGK600-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 600 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1800	600	RR1MGK60186004	RR1MGK60186004Z
1 800	1800	700	RR1MGK70186004	RR1MGK70186004Z
1 800	1800	800	RR1MGK80186004	RR1MGK80186004Z

RR1MGK750-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 750 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 200	600	RR1MGK60227504	RR1MGK60227504Z
1 800	2 200	700	RR1MGK70227504	RR1MGK70227504Z
1 800	2 200	800	RR1MGK80227504	RR1MGK80227504Z

RR1MGK800-4

Steel Shelving

- boltless system with butterflies
- 4x wooden shelves
- maximum load capacity: 800 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	2 000	600	RR1MGK60208004	RR1MGK60208004Z
1 800	2 000	700	RR1MGK70208004	RR1MGK70208004Z
1 800	2 000	800	RR1MGK80208004	RR1MGK80208004Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RTCLIUe220-5

Steel Shelving

- boltless system with butterflies
- you always start with the basic module and then you can only buy an add-on module to extend the storage space
- 5x steel shelves, lengthwise divided
- maximum load capacity 220kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 000	450	RTCLIUE45102205	RTCLIUE45102205Z
1 800	1 000	500	RTCLIUE50102205	RTCLIUE50102205Z
1 800	1 000	600	RTCLIUE60102205	RTCLIUE60102205Z

You can only buy an add-on module and extend the storage space according your needs. We are producing this shelving also in 4 shelves option.



RTCLIUe475-5

Steel Shelving

- boltless system with butterflies
- you always start with the basic module and then you can only buy an add-on module to extend the storage space
- 5x steel shelves, lengthwise divided
- maximum load capacity 475kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 000	450	RTCLIUE45104755	RTCLIUE45104755Z
1 800	1 000	500	RTCLIUE50104755	RTCLIUE50104755Z
1 800	1 000	600	RTCLIUE60104755	RTCLIUE60104755Z
1 800	1 200	450	RTCLIUE45124755	RTCLIUE45124755Z
1 800	1 200	500	RTCLIUE50124755	RTCLIUE50124755Z
1 800	1 200	600	RTCLIUE60124755	RTCLIUE60124755Z


- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RTCL265-5

Steel Shelving

- boltless system with butterflies, endless construction
- you always start with the basic module and then you can only buy an add-on module to extend the storage space
- 5x wooden shelves
- maximum load capacity 265 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 000	400	RTCLKLB40102655	RTCLKLB40102655Z
1 800	1 000	450	RTCLKLB45102655	RTCLKLB45102655Z
1 800	1 000	500	RTCLKLB50102655	RTCLKLB50102655Z
1 800	1 000	600	RTCLKLB60102655	RTCLKLB60102655Z


You can only buy an add-on module and extend the storage space according your needs. We are producing this shelving also in 4 shelves option.



RTCL440-5

Steel Shelving

- boltless system with butterflies, endless construction
- you always start with the basic module and then you can only buy an add-on module to extend the storage space
- 5x wooden shelves
- maximum load capacity 440 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 200	450	RTCLKLB45124405	RTCLKLB45124405Z
1 800	1 200	500	RTCLKLB50124405	RTCLKLB50124405Z
1 800	1 200	600	RTCLKLB60124405	RTCLKLB60124405Z
1 800	1 400	450	RTCLKLB45144405	RTCLKLB45144405Z
1 800	1 400	500	RTCLKLB50144405	RTCLKLB50144405Z
1 800	1 400	600	RTCLKLB60144405	RTCLKLB60144405Z
1 800	1 500	450	RTCLKLB45154405	RTCLKLB45154405Z
1 800	1 500	500	RTCLKLB50154405	RTCLKLB50154405Z
1 800	1 500	600	RTCLKLB60154405	RTCLKLB60154405Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ●

Our products can be powder coated also in different RAL colour shades.

RTCLR200-4

Corner Steel Shelving

- boltless system with butterflies, endless shelving
- you can attach the add-on module to the corner shelving and create a whole set of shelving attached to each other.
- 4x wooden shelves
- maximum load capacity: 200 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	870	400	RTCLR402004	RTCLR402004Z
1 800	870	450	RTCLR452004	RTCLR452004Z

You can buy an add-on module to the corner shelving and extend the storage space. We are producing this shelving also in 5 shelves option.



RTCL200P-4

Corner Steel Shelving - Additional Module

- boltless system with butterflies, endless shelving
- add-on module, which you can attach to the corner shelving to extend the storage space
- you are using corner shelving uprights to attach the add-on module
- 4x wooden shelves
- maximum load capacity: 200 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	900	400	RTCL402004P	RTCL402004PZ
1 800	900	450	RTCL452004P	RTCL452004PZ

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ●

Our products can be powder coated also in different RAL colour shades.

Heavy-Duty Shelving

RNC-MGZ1030-4

Galvanized Steel Shelving

- Industrial shelving
- easy assembly and disassembly
- adjustable shelf height
- 4x chipboard shelves
- maximum shelf load capacity: 550 kg
- total rack load capacity: 2200 kg



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
2 000	2 946	1 000	---	RNC-MGZ-1030-4Z

Shelf load
capacity
550 kg


3m
long!



RNC

Steel Shelving - 5 shelves

- boltless system with butterflies,
- endless construction – *always start with a base module, then you can purchase an add-on module to expand your storage space.*
- 5x wooden shelves
- adjustable shelf height
- maximum load capacity: 800 kg/shelf



Wooden
shelves

Shelf load
capacity
800 kg



blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○


Our products can be powder coated also in different RAL colour shades.

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RNCMGL9601618005	RNCMGL9601618005Z
1 800	1 600	800	RNCMGL9801618005	RNCMGL9801618005Z
1 800	1 800	600	RNCMGL9601818005	RNCMGL9601818005Z
1 800	1 800	800	RNCMGL9801818005	RNCMGL9801818005Z
1 800	2 000	600	RNCMGL9602018005	RNCMGL9602018005Z
1 800	2 000	800	RNCMGL9802018005	RNCMGL9802018005Z
1 800	2 200	600	RNCMGL9602218005	RNCMGL9602218005Z
1 800	2 200	800	RNCMGL9802218005	RNCMGL9802218005Z
1 800	2 400	600	RNCMGL9602418005	RNCMGL9602418005Z
1 800	2 400	800	RNCMGL9802418005	RNCMGL9802418005Z
2 000	1 600	600	RNCMGL9601620005	RNCMGL9601620005Z
2 000	1 600	800	RNCMGL9801620005	RNCMGL9801620005Z
2 000	1 800	600	RNCMGL9601820005	RNCMGL9601820005Z
2 000	1 800	800	RNCMGL9801820005	RNCMGL9801820005Z
2 000	2 000	600	RNCMGL9602020005	RNCMGL9602020005Z
2 000	2 000	800	RNCMGL9802020005	RNCMGL9802020005Z
2 000	2 200	600	RNCMGL9602220005	RNCMGL9602220005Z
2 000	2 200	800	RNCMGL9802220005	RNCMGL9802220005Z
2 000	2 400	600	RNCMGL9602420005	RNCMGL9602420005Z
2 000	2 400	800	RNCMGL9802420005	RNCMGL9802420005Z
2 200	1 600	600	RNCMGL9601622005	RNCMGL9601622005Z
2 200	1 600	800	RNCMGL9801622005	RNCMGL9801622005Z
2 200	1 800	600	RNCMGL9601822005	RNCMGL9601822005Z
2 200	1 800	800	RNCMGL9801822005	RNCMGL9801822005Z
2 200	2 000	600	RNCMGL9602022005	RNCMGL9602022005Z
2 200	2 000	800	RNCMGL9802022005	RNCMGL9802022005Z
2 200	2 200	600	RNCMGL9602222005	RNCMGL9602222005Z
2 200	2 200	800	RNCMGL9802222005	RNCMGL9802222005Z
2 200	2 400	600	RNCMGL9602422005	RNCMGL9602422005Z
2 200	2 400	800	RNCMGL9802422005	RNCMGL9802422005Z
2 400	1 600	600	RNCMGL9601624005	RNCMGL9601624005Z
2 400	1 600	800	RNCMGL9801624005	RNCMGL9801624005Z
2 400	1 800	600	RNCMGL9601824005	RNCMGL9601824005Z
2 400	1 800	800	RNCMGL9801824005	RNCMGL9801824005Z
2 400	2 000	600	RNCMGL9602024005	RNCMGL9602024005Z
2 400	2 000	800	RNCMGL9802024005	RNCMGL9802024005Z
2 400	2 200	600	RNCMGL9602224005	RNCMGL9602224005Z
2 400	2 200	800	RNCMGL9802224005	RNCMGL9802224005Z
2 400	2 400	600	RNCMGL9602424005	RNCMGL9602424005Z
2 400	2 400	800	RNCMGL9802424005	RNCMGL9802424005Z

RNC

Add-on Module - 5 Shelves

- boltless system with butterflies,
- endless construction – *an additional module to extend the storage space.*
- 5x wooden shelves
- adjustable shelf height for custom storage configurations
- maximum load capacity: 800 kg/shelf



Wooden
shelves

Shelf load
capacity
800 kg

blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○


Our products can be powder coated also in different RAL colour shades.

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RNCMGL9601618005P	RNCMGL9601618005PZ
1 800	1 600	800	RNCMGL9801618005P	RNCMGL9801618005PZ
1 800	1 800	600	RNCMGL9601818005P	RNCMGL9601818005PZ
1 800	1 800	800	RNCMGL9801818005P	RNCMGL9801818005PZ
1 800	2 000	600	RNCMGL9602018005P	RNCMGL9602018005PZ
1 800	2 000	800	RNCMGL9802018005P	RNCMGL9802018005PZ
1 800	2 200	600	RNCMGL9602218005P	RNCMGL9602218005PZ
1 800	2 200	800	RNCMGL9802218005P	RNCMGL9802218005PZ
1 800	2 400	600	RNCMGL9602418005P	RNCMGL9602418005PZ
1 800	2 400	800	RNCMGL9802418005P	RNCMGL9802418005PZ
2 000	1 600	600	RNCMGL9601620005P	RNCMGL9601620005PZ
2 000	1 600	800	RNCMGL9801620005P	RNCMGL9801620005PZ
2 000	1 800	600	RNCMGL9601820005P	RNCMGL9601820005PZ
2 000	1 800	800	RNCMGL9801820005P	RNCMGL9801820005PZ
2 000	2 000	600	RNCMGL9602020005P	RNCMGL9602020005PZ
2 000	2 000	800	RNCMGL9802020005P	RNCMGL9802020005PZ
2 000	2 200	600	RNCMGL9602220005P	RNCMGL9602220005PZ
2 000	2 200	800	RNCMGL9802220005P	RNCMGL9802220005PZ
2 000	2 400	600	RNCMGL9602420005P	RNCMGL9602420005PZ
2 000	2 400	800	RNCMGL9802420005P	RNCMGL9802420005PZ
2 200	1 600	600	RNCMGL9601622005P	RNCMGL9601622005PZ
2 200	1 600	800	RNCMGL9801622005P	RNCMGL9801622005PZ
2 200	1 800	600	RNCMGL9601822005P	RNCMGL9601822005PZ
2 200	1 800	800	RNCMGL9801822005P	RNCMGL9801822005PZ
2 200	2 000	600	RNCMGL9602022005P	RNCMGL9602022005PZ
2 200	2 000	800	RNCMGL9802022005P	RNCMGL9802022005PZ
2 200	2 200	600	RNCMGL9602222005P	RNCMGL9602222005PZ
2 200	2 200	800	RNCMGL9802222005P	RNCMGL9802222005PZ
2 200	2 400	600	RNCMGL9602422005P	RNCMGL9602422005PZ
2 200	2 400	800	RNCMGL9802422005P	RNCMGL9802422005PZ
2 400	1 600	600	RNCMGL9601624005P	RNCMGL9601624005PZ
2 400	1 600	800	RNCMGL9801624005P	RNCMGL9801624005PZ
2 400	1 800	600	RNCMGL9601824005P	RNCMGL9601824005PZ
2 400	1 800	800	RNCMGL9801824005P	RNCMGL9801824005PZ
2 400	2 000	600	RNCMGL9602024005P	RNCMGL9602024005PZ
2 400	2 000	800	RNCMGL9802024005P	RNCMGL9802024005PZ
2 400	2 200	600	RNCMGL9602224005P	RNCMGL9602224005PZ
2 400	2 200	800	RNCMGL9802224005P	RNCMGL9802224005PZ
2 400	2 400	600	RNCMGL9602424005P	RNCMGL9602424005PZ
2 400	2 400	800	RNCMGL9802424005P	RNCMGL9802424005PZ

RNC

Steel Shelving - 4 Shelves

- boltless system with butterflies,
- endless construction – *always start with a base module, then you can purchase an add-on module to expand your storage space.*
- 4x wooden shelves
- adjustable shelf height
- maximum load capacity: 800 kg/shelf



Wooden
shelves

Shelf load
capacity
800 kg



blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○


Our products can be powder coated also in different RAL colour shades.

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RNCMGL9601618004	RNCMGL9601618004Z
1 800	1 600	800	RNCMGL9801618004	RNCMGL9801618004Z
1 800	1 800	600	RNCMGL9601818004	RNCMGL9601818004Z
1 800	1 800	800	RNCMGL9801818004	RNCMGL9801818004Z
1 800	2 000	600	RNCMGL9602018004	RNCMGL9602018004Z
1 800	2 000	800	RNCMGL9802018004	RNCMGL9802018004Z
1 800	2 200	600	RNCMGL9602218004	RNCMGL9602218004Z
1 800	2 200	800	RNCMGL9802218004	RNCMGL9802218004Z
1 800	2 400	600	RNCMGL9602418004	RNCMGL9602418004Z
1 800	2 400	800	RNCMGL9802418004	RNCMGL9802418004Z
2 000	1 600	600	RNCMGL9601620004	RNCMGL9601620004Z
2 000	1 600	800	RNCMGL9801620004	RNCMGL9801620004Z
2 000	1 800	600	RNCMGL9601820004	RNCMGL9601820004Z
2 000	1 800	800	RNCMGL9801820004	RNCMGL9801820004Z
2 000	2 000	600	RNCMGL9602020004	RNCMGL9602020004Z
2 000	2 000	800	RNCMGL9802020004	RNCMGL9802020004Z
2 000	2 200	600	RNCMGL9602220004	RNCMGL9602220004Z
2 000	2 200	800	RNCMGL9802220004	RNCMGL9802220004Z
2 000	2 400	600	RNCMGL9602420004	RNCMGL9602420004Z
2 000	2 400	800	RNCMGL9802420004	RNCMGL9802420004Z
2 200	1 600	600	RNCMGL9601622004	RNCMGL9601622004Z
2 200	1 600	800	RNCMGL9801622004	RNCMGL9801622004Z
2 200	1 800	600	RNCMGL9601822004	RNCMGL9601822004Z
2 200	1 800	800	RNCMGL9801822004	RNCMGL9801822004Z
2 200	2 000	600	RNCMGL9602022004	RNCMGL9602022004Z
2 200	2 000	800	RNCMGL9802022004	RNCMGL9802022004Z
2 200	2 200	600	RNCMGL9602222004	RNCMGL9602222004Z
2 200	2 200	800	RNCMGL9802222004	RNCMGL9802222004Z
2 200	2 400	600	RNCMGL9602422004	RNCMGL9602422004Z
2 200	2 400	800	RNCMGL9802422004	RNCMGL9802422004Z
2 400	1 600	600	RNCMGL9601624004	RNCMGL9601624004Z
2 400	1 600	800	RNCMGL9801624004	RNCMGL9801624004Z
2 400	1 800	600	RNCMGL9601824004	RNCMGL9601824004Z
2 400	1 800	800	RNCMGL9801824004	RNCMGL9801824004Z
2 400	2 000	600	RNCMGL9602024004	RNCMGL9602024004Z
2 400	2 000	800	RNCMGL9802024004	RNCMGL9802024004Z
2 400	2 200	600	RNCMGL9602224004	RNCMGL9602224004Z
2 400	2 200	800	RNCMGL9802224004	RNCMGL9802224004Z
2 400	2 400	600	RNCMGL9602424004	RNCMGL9602424004Z
2 400	2 400	800	RNCMGL9802424004	RNCMGL9802424004Z

RNC

Add-on Module - 4 Shelves

- boltless system with butterflies,
- endless construction – *an additional module to extend the storage space.*
- 4x wooden shelves
- adjustable shelf height for custom storage configurations
- maximum load capacity: 800 kg/shelf



Wooden
shelves

Shelf load
capacity
800 kg

blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○


Our products can be powder coated also in different RAL colour shades.

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RNCMGL9601618004P	RNCMGL9601618004PZ
1 800	1 600	800	RNCMGL9801618004P	RNCMGL9801618004PZ
1 800	1 800	600	RNCMGL9601818004P	RNCMGL9601818004PZ
1 800	1 800	800	RNCMGL9801818004P	RNCMGL9801818004PZ
1 800	2 000	600	RNCMGL9602018004P	RNCMGL9602018004PZ
1 800	2 000	800	RNCMGL9802018004P	RNCMGL9802018004PZ
1 800	2 200	600	RNCMGL9602218004P	RNCMGL9602218004PZ
1 800	2 200	800	RNCMGL9802218004P	RNCMGL9802218004PZ
1 800	2 400	600	RNCMGL9602418004P	RNCMGL9602418004PZ
1 800	2 400	800	RNCMGL9802418004P	RNCMGL9802418004PZ
2 000	1 600	600	RNCMGL9601620004P	RNCMGL9601620004PZ
2 000	1 600	800	RNCMGL9801620004P	RNCMGL9801620004PZ
2 000	1 800	600	RNCMGL9601820004P	RNCMGL9601820004PZ
2 000	1 800	800	RNCMGL9801820004P	RNCMGL9801820004PZ
2 000	2 000	600	RNCMGL9602020004P	RNCMGL9602020004PZ
2 000	2 000	800	RNCMGL9802020004P	RNCMGL9802020004PZ
2 000	2 200	600	RNCMGL9602220004P	RNCMGL9602220004PZ
2 000	2 200	800	RNCMGL9802220004P	RNCMGL9802220004PZ
2 000	2 400	600	RNCMGL9602420004P	RNCMGL9602420004PZ
2 000	2 400	800	RNCMGL9802420004P	RNCMGL9802420004PZ
2 200	1 600	600	RNCMGL9601622004P	RNCMGL9601622004PZ
2 200	1 600	800	RNCMGL9801622004P	RNCMGL9801622004PZ
2 200	1 800	600	RNCMGL9601822004P	RNCMGL9601822004PZ
2 200	1 800	800	RNCMGL9801822004P	RNCMGL9801822004PZ
2 200	2 000	600	RNCMGL9602022004P	RNCMGL9602022004PZ
2 200	2 000	800	RNCMGL9802022004P	RNCMGL9802022004PZ
2 200	2 200	600	RNCMGL9602222004P	RNCMGL9602222004PZ
2 200	2 200	800	RNCMGL9802222004P	RNCMGL9802222004PZ
2 200	2 400	600	RNCMGL9602422004P	RNCMGL9602422004PZ
2 200	2 400	800	RNCMGL9802422004P	RNCMGL9802422004PZ
2 400	1 600	600	RNCMGL9601624004P	RNCMGL9601624004PZ
2 400	1 600	800	RNCMGL9801624004P	RNCMGL9801624004PZ
2 400	1 800	600	RNCMGL9601824004P	RNCMGL9601824004PZ
2 400	1 800	800	RNCMGL9801824004P	RNCMGL9801824004PZ
2 400	2 000	600	RNCMGL9602024004P	RNCMGL9602024004PZ
2 400	2 000	800	RNCMGL9802024004P	RNCMGL9802024004PZ
2 400	2 200	600	RNCMGL9602224004P	RNCMGL9602224004PZ
2 400	2 200	800	RNCMGL9802224004P	RNCMGL9802224004PZ
2 400	2 400	600	RNCMGL9602424004P	RNCMGL9602424004PZ
2 400	2 400	800	RNCMGL9802424004P	RNCMGL9802424004PZ

RNC

Steel Shelving - 3 Shelves

- boltless system with butterflies,
- endless construction – *always start with a base module, then you can purchase an add-on module to expand your storage space.*
- 3x wooden shelves
- adjustable shelf height
- maximum load capacity: 800 kg/shelf



Wooden shelves

Shelf load capacity 800 kg

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 600	1 600	600	RNCMGL9601616003	RNCMGL9601616003Z
1 600	1 600	800	RNCMGL9801616003	RNCMGL9801616003Z
1 600	1 800	600	RNCMGL9601816003	RNCMGL9601816003Z
1 600	1 800	800	RNCMGL9801816003	RNCMGL9801816003Z
1 600	2 000	600	RNCMGL9602016003	RNCMGL9602016003Z
1 600	2 000	800	RNCMGL9802016003	RNCMGL9802016003Z
1 600	2 200	600	RNCMGL9602216003	RNCMGL9602216003Z
1 600	2 200	800	RNCMGL9802216003	RNCMGL9802216003Z
1 600	2 400	600	RNCMGL9602416003	RNCMGL9602416003Z
1 600	2 400	800	RNCMGL9802416003	RNCMGL9802416003Z

blue | RAL 5017 ●
light grey | RAL 7035 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
orange | RAL 2004 ●
white | RAL 9003 ○


Our products can be powder coated also in different RAL colour shades.

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RNCMGL9601618003	RNCMGL9601618003Z
1 800	1 600	800	RNCMGL9801618003	RNCMGL9801618003Z
1 800	1 800	600	RNCMGL9601818003	RNCMGL9601818003Z
1 800	1 800	800	RNCMGL9801818003	RNCMGL9801818003Z
1 800	2 000	600	RNCMGL9602018003	RNCMGL9602018003Z
1 800	2 000	800	RNCMGL9802018003	RNCMGL9802018003Z
1 800	2 200	600	RNCMGL9602218003	RNCMGL9602218003Z
1 800	2 200	800	RNCMGL9802218003	RNCMGL9802218003Z
1 800	2 400	600	RNCMGL9602418003	RNCMGL9602418003Z
1 800	2 400	800	RNCMGL9802418003	RNCMGL9802418003Z
2 000	1 600	600	RNCMGL9601620003	RNCMGL9601620003Z
2 000	1 600	800	RNCMGL9801620003	RNCMGL9801620003Z
2 000	1 800	600	RNCMGL9601820003	RNCMGL9601820003Z
2 000	1 800	800	RNCMGL9801820003	RNCMGL9801820003Z
2 000	2 000	600	RNCMGL9602020003	RNCMGL9602020003Z
2 000	2 000	800	RNCMGL9802020003	RNCMGL9802020003Z
2 000	2 200	600	RNCMGL9602220003	RNCMGL9602220003Z
2 000	2 200	800	RNCMGL9802220003	RNCMGL9802220003Z
2 000	2 400	600	RNCMGL9602420003	RNCMGL9602420003Z
2 000	2 400	800	RNCMGL9802420003	RNCMGL9802420003Z
2 200	1 600	600	RNCMGL9601622003	RNCMGL9601622003Z
2 200	1 600	800	RNCMGL9801622003	RNCMGL9801622003Z
2 200	1 800	600	RNCMGL9601822003	RNCMGL9601822003Z
2 200	1 800	800	RNCMGL9801822003	RNCMGL9801822003Z
2 200	2 000	600	RNCMGL9602022003	RNCMGL9602022003Z
2 200	2 000	800	RNCMGL9802022003	RNCMGL9802022003Z
2 200	2 200	600	RNCMGL9602222003	RNCMGL9602222003Z
2 200	2 200	800	RNCMGL9802222003	RNCMGL9802222003Z
2 200	2 400	600	RNCMGL9602422003	RNCMGL9602422003Z
2 200	2 400	800	RNCMGL9802422003	RNCMGL9802422003Z
2 400	1 600	600	RNCMGL9601624003	RNCMGL9601624003Z
2 400	1 600	800	RNCMGL9801624003	RNCMGL9801624003Z
2 400	1 800	600	RNCMGL9601824003	RNCMGL9601824003Z
2 400	1 800	800	RNCMGL9801824003	RNCMGL9801824003Z
2 400	2 000	600	RNCMGL9602024003	RNCMGL9602024003Z
2 400	2 000	800	RNCMGL9802024003	RNCMGL9802024003Z
2 400	2 200	600	RNCMGL9602224003	RNCMGL9602224003Z
2 400	2 200	800	RNCMGL9802224003	RNCMGL9802224003Z
2 400	2 400	600	RNCMGL9602424003	RNCMGL9602424003Z
2 400	2 400	800	RNCMGL9802424003	RNCMGL9802424003Z

RNC

Add-on Module - 3 Shelves

- boltless system with butterflies,
- endless construction – *an additional module to extend the storage space.*
- 3x wooden shelves
- adjustable shelf height for custom storage configurations
- maximum load capacity: 800 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 600	1 600	600	RNCMGL9601616003P	RNCMGL9601616003PZ
1 600	1 600	800	RNCMGL9801616003P	RNCMGL9801616003PZ
1 600	1 800	600	RNCMGL9601816003P	RNCMGL9601816003PZ
1 600	1 800	800	RNCMGL9801816003P	RNCMGL9801816003PZ
1 600	2 000	600	RNCMGL9602016003P	RNCMGL9602016003PZ
1 600	2 000	800	RNCMGL9802016003P	RNCMGL9802016003PZ
1 600	2 200	600	RNCMGL9602216003P	RNCMGL9602216003PZ
1 600	2 200	800	RNCMGL9802216003P	RNCMGL9802216003PZ
1 600	2 400	600	RNCMGL9602416003P	RNCMGL9602416003PZ
1 600	2 400	800	RNCMGL9802416003P	RNCMGL9802416003PZ

blue | RAL 5017 ●
 light grey | RAL 7035 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 orange | RAL 2004 ●
 white | RAL 9003 ○


Our products can be powder coated also in different RAL colour shades.

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 600	600	RNCMGL9601618003P	RNCMGL9601618003PZ
1 800	1 600	800	RNCMGL9801618003P	RNCMGL9801618003PZ
1 800	1 800	600	RNCMGL9601818003P	RNCMGL9601818003PZ
1 800	1 800	800	RNCMGL9801818003P	RNCMGL9801818003PZ
1 800	2 000	600	RNCMGL9602018003P	RNCMGL9602018003PZ
1 800	2 000	800	RNCMGL9802018003P	RNCMGL9802018003PZ
1 800	2 200	600	RNCMGL9602218003P	RNCMGL9602218003PZ
1 800	2 200	800	RNCMGL9802218003P	RNCMGL9802218003PZ
1 800	2 400	600	RNCMGL9602418003P	RNCMGL9602418003PZ
1 800	2 400	800	RNCMGL9802418003P	RNCMGL9802418003PZ
2 000	1 600	600	RNCMGL9601620003P	RNCMGL9601620003PZ
2 000	1 600	800	RNCMGL9801620003P	RNCMGL9801620003PZ
2 000	1 800	600	RNCMGL9601820003P	RNCMGL9601820003PZ
2 000	1 800	800	RNCMGL9801820003P	RNCMGL9801820003PZ
2 000	2 000	600	RNCMGL9602020003P	RNCMGL9602020003PZ
2 000	2 000	800	RNCMGL9802020003P	RNCMGL9802020003PZ
2 000	2 200	600	RNCMGL9602220003P	RNCMGL9602220003PZ
2 000	2 200	800	RNCMGL9802220003P	RNCMGL9802220003PZ
2 000	2 400	600	RNCMGL9602420003P	RNCMGL9602420003PZ
2 000	2 400	800	RNCMGL9802420003P	RNCMGL9802420003PZ
2 200	1 600	600	RNCMGL9601622003P	RNCMGL9601622003PZ
2 200	1 600	800	RNCMGL9801622003P	RNCMGL9801622003PZ
2 200	1 800	600	RNCMGL9601822003P	RNCMGL9601822003PZ
2 200	1 800	800	RNCMGL9801822003P	RNCMGL9801822003PZ
2 200	2 000	600	RNCMGL9602022003P	RNCMGL9602022003PZ
2 200	2 000	800	RNCMGL9802022003P	RNCMGL9802022003PZ
2 200	2 200	600	RNCMGL9602222003P	RNCMGL9602222003PZ
2 200	2 200	800	RNCMGL9802222003P	RNCMGL9802222003PZ
2 200	2 400	600	RNCMGL9602422003P	RNCMGL9602422003PZ
2 200	2 400	800	RNCMGL9802422003P	RNCMGL9802422003PZ
2 400	1 600	600	RNCMGL9601624003P	RNCMGL9601624003PZ
2 400	1 600	800	RNCMGL9801624003P	RNCMGL9801624003PZ
2 400	1 800	600	RNCMGL9601824003P	RNCMGL9601824003PZ
2 400	1 800	800	RNCMGL9801824003P	RNCMGL9801824003PZ
2 400	2 000	600	RNCMGL9602024003P	RNCMGL9602024003PZ
2 400	2 000	800	RNCMGL9802024003P	RNCMGL9802024003PZ
2 400	2 200	600	RNCMGL9602224003P	RNCMGL9602224003PZ
2 400	2 200	800	RNCMGL9802224003P	RNCMGL9802224003PZ
2 400	2 400	600	RNCMGL9602424003P	RNCMGL9602424003PZ
2 400	2 400	800	RNCMGL9802424003P	RNCMGL9802424003PZ

RNC

Steel Shelving - 2 Shelves

- boltless system with butterflies,
- endless construction – *always start with a base module, then you can purchase an add-on module to expand your storage space.*
- 2x wooden shelves
- adjustable shelf height
- maximum load capacity: 800 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 400	1 600	600	RNCMGL9601614002	RNCMGL9601614002Z
1 400	1 600	800	RNCMGL9801614002	RNCMGL9801614002Z
1 400	1 800	600	RNCMGL9601814002	RNCMGL9601814002Z
1 400	1 800	800	RNCMGL9801814002	RNCMGL9801814002Z
1 400	2 000	600	RNCMGL9602014002	RNCMGL9602014002Z
1 400	2 000	800	RNCMGL9802014002	RNCMGL9802014002Z
1 400	2 200	600	RNCMGL9602214002	RNCMGL9602214002Z
1 400	2 200	800	RNCMGL9802214002	RNCMGL9802214002Z
1 400	2 400	600	RNCMGL9602414002	RNCMGL9602414002Z
1 400	2 400	800	RNCMGL9802414002	RNCMGL9802414002Z

blue | RAL 5017 ●
 light grey | RAL 7035 ●
 dark grey | RAL 7031 ●


black | RAL 9005 ●
 orange | RAL 2004 ●
 white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RNC

Add-on Module - 2 Shelves

- boltless system with butterflies,
- endless construction – *an additional module to extend the storage space.*
- 2x wooden shelves
- adjustable shelf height for custom storage configurations
- maximum load capacity: 800 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 400	1 600	600	RNCMGL9601614002P	RNCMGL9601614002PZ
1 400	1 600	800	RNCMGL9801614002P	RNCMGL9801614002PZ
1 400	1 800	600	RNCMGL9601814002P	RNCMGL9601814002PZ
1 400	1 800	800	RNCMGL9801814002P	RNCMGL9801814002PZ
1 400	2 000	600	RNCMGL9602014002P	RNCMGL9602014002PZ
1 400	2 000	800	RNCMGL9802014002P	RNCMGL9802014002PZ
1 400	2 200	600	RNCMGL9602214002P	RNCMGL9602214002PZ
1 400	2 200	800	RNCMGL9802214002P	RNCMGL9802214002PZ
1 400	2 400	600	RNCMGL9602414002P	RNCMGL9602414002PZ
1 400	2 400	800	RNCMGL9802414002P	RNCMGL9802414002PZ


blue | RAL 5017 ●
 light grey | RAL 7035 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 orange | RAL 2004 ●
 white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RK200-6

Steel Frame Single-Sided Cantilever Rack



- steel construction
- endless rack, you can connect an additional module and extend the storage space as needed
- 6 levels
- maximum load capacity: 200 kg/cantilever
- maximum load capacity: 3600 kg/rack

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Product type
2 000	2 700	630	RK6327002006	1
2 000	1 380	630	RK6313802006	1/2
2 000	1 330	630	RK6313302006	1/3




Total load capacity
3600 kg

- blue | RAL 5017
- light grey | RAL 7035
- dark grey | RAL 7031
- black | RAL 9005
- orange | RAL 2004
- white | RAL 9003

Our products can be powder coated also in different RAL colour shades.


RK-D2-200-2X6

Steel Frame Double-Sided Cantilever Rack



- steel construction
- endless rack, you can connect an additional module and extend the storage space as needed
- 2x6 levels
- maximum load capacity: 200 kg/cantilever
- maximum load capacity: 7200 kg/rack

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Product type
2 000	2 700	1 150	RK6327002002x6	1
2 000	1 380	1 150	RK6313802002x6	1/2
2 000	1 330	1 150	RK6313302002x6	1/3




- blue | RAL 5017 ●
- black | RAL 9005 ●
- light grey | RAL 7035 ●
- orange | RAL 2004 ●
- dark grey | RAL 7031 ●
- white | RAL 9003 ●

Our products can be powder coated also in different RAL colour shades.

RK-D0

Steel Frame Single-Sided and Tree-Style Cantilever Rack



- steel construction
- endless rack, you can connect an additional module and extend the storage space as needed
- 6 levels
- maximum load capacity: 200 kg/cantilever
- maximum load capacity: 3600 kg/rack

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Product type
2 000	2 700	1 150	RKS6327002006	1
2 000	1 380	1 150	RKS6313802006	1/2
2 000	1 330	1 150	RKS6313302006	1/3





- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RK-D3

Steel Frame Double-Sided and Tree-Style Cantilever Rack



- steel construction
- endless rack, you can connect an additional module and extend the storage space as needed
- 2x6 levels
- maximum load capacity: 200 kg/cantilever
- maximum load capacity: 7200 kg/rack

Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Product type
2 000	2 700	1 150	RKS1127002002x6	1
2 000	1 380	1 150	RKS1113802002x6	1/2
2 000	1 330	1 150	RKS1113302002x6	1/3



- blue | RAL 5017
- light grey | RAL 7035
- dark grey | RAL 7031
- black | RAL 9005
- orange | RAL 2004
- white | RAL 9003

Our products can be powder coated also in different RAL colour shades.

Custom-Designed Shelving Solutions

RSM30-3

Folding Rack with Wheels

- steel construction
- 3x steel shelves
- 4 plastic swivel castors diameter 40mm
- easy to assemble and use immediately
- when folded, it takes up minimal storage space 1212(h)x930(w)x110(d) mm
- maximum load capacity: 30 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 018	930	405	RSM40303	x

RNDP50

Mobile Rack

- steel frame
- 5x wooden shelves
- 4 swivel castors (diameter 100 mm), two with brakes
- maximum shelf load capacity: 30 kg



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 920	905	505	RNDP509051905	RNDP509051905Z

RNDP53

Mobile Rack

- steel frame
- 3x wooden shelves
- 4 swivel castors (diameter 100 mm), two with brakes
- maximum shelf load capacity: 50 kg



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 030	905	505	RNDP509051003	RNDP509051003Z


- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

R01G-85

Tubular Shelving

- suitable for two crates with bottles
- steel construction
- powder coated finish



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
850	428	363	R01G-85	x

R01G-130

Tubular Shelving

- suitable for three crates with bottles
- steel construction
- powder coated finish



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 300	428	363	R01G-130	x

R02G-85

Tubular Shelving

- suitable for four crates with bottles
- steel construction
- powder coated finish



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
850	680	363	R02G-85	x

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

R01

Tubular Shelving

- suitable for three crates with bottles
- steel construction
- powder coated finish



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 294	428	363	R01	x

R02

Tubular Shelving

- suitable for six crates with bottles
- steel construction
- powder coated finish



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 294	678	363	R02	x

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

RR2-AU9

Tyre Shelving

- boltless system with butterflies
- steel construction
- 2 levels suitable for storing tyres
- maximum load capacity: 150 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 075	1 100	350	RR2AU93511	RR2AU93511Z

RR2-AU5

Tyre Shelving with one Wooden Shelf

- boltless system with butterflies
- steel construction
- 1 wooden shelf and 2 levels suitable for storing tyres
- maximum load capacity: 200 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 800	1 300	500	RR2AU550133	RR2AU550133Z
1 800	1 600	500	RR2AU550163	RR2AU550163Z

RR2-AU3

Tyre Shelving

- boltless system with butterflies
- steel construction
- 3 levels suitable for storing tyres
- maximum load capacity: 150 kg/shelf



Dimensions			Catalogue number	
			Execution	
Height(mm)	Width(mm)	Depth(mm)	Powder coated	Galvanised
1 980	1 300	500	RR2AU350133	RR2AU350133Z

- blue | RAL 5017 ●
- light grey | RAL 7035 ●
- dark grey | RAL 7031 ●
- black | RAL 9005 ●
- orange | RAL 2004 ●
- white | RAL 9003 ○

Our products can be powder coated also in different RAL colour shades.

A woman with blonde hair, wearing a grey cardigan over a white polka-dot top and dark blue trousers, is pushing a silver metal sack truck. The truck has red handles and a large wicker basket filled with red flowers. She is outdoors, with green foliage and a brick wall in the background. The scene is brightly lit, suggesting a sunny day.

A sack truck is a light transport truck with its help we can move boxes, cases, and other weights.

The main construction is made of steel. The sack truck is managed easily so that we get plate under the load, then we tip the sack truck with goods towards us and push forward.

We recommend manipulation on a flat and dry surface. A manipulation with our sack truck is easy for everyone. All sack trucks are made in Trestles.

We powder coat sack trucks in all RAL shades. We also have aluminium sack trucks in our assortment.

SACK TRUCKS



S01 Steel Sack Truck

Dimension:	1048(h)x600(w)x528(d)mm
Loading plate size:	400x175mm
Maximum load capacity:	250 kg


- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S02 Steel Sack Truck

Dimension:	1203(h)x560(w)x540x(d)mm
Loading plate size:	280x265mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S03H Steel Sack Truck

Dimension:	1100(h)x567(w)x416(d)mm
Loading plate size:	400x171mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- solid wheels diam. 200 mm
- powder coated finish



S03L Steel Sack Truck

Dimension:	1102(h)x528(w)x445(d)mm
Loading plate size:	350x159mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S07L Steel Sack Truck

Dimension:	1102(h)x562(w)x392(d)mm
Loading plate size:	390x140mm
Maximum load capacity:	100 kg

- plastic handles
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S07 Steel Sack Truck


Dimension:	1025(h)x600(w)x519(d)mm
Loading plate size:	400x140mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

blue | RAL 5017 ●
red | RAL 3000 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
yellow | RAL 1007 ●
green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S13 Steel Sack Truck

Dimension:	1174(h)x538(w)x464(d)mm
Loading plate size:	270x205mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S14 Steel Sack Truck

Dimension:	1082(h)x584(w)x452(d)mm
Loading plate size:	400x200mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S01L Steel Sack Truck

Dimension:	1051(h)x568(w)x535(d)mm
Loading plate size:	350x183mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S01FRa Steel Sack Truck

Dimension:	1148(h)x550(w)x473(d)mm
Loading plate size:	500x196mm
Maximum load capacity:	200kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S101 Steel Sack Truck

Dimension:	1021(h)x552(w)x460(d)mm
Loading plate size:	350x183mm
Maximum load	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S101L3 Steel Sack Truck

Dimension:	1050(h)x573(w)x468(d)mm
Loading plate size:	350x184mm
Maximum load	120 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

blue | RAL 5017 ●
red | RAL 3000 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
yellow | RAL 1007 ●
green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S117

Steel Sack Truck

Dimension:	1360(h)x516(w)x627(d)mm
Loading plate size:	475x300mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

S02Vk

Steel Sack Truck

Dimension:	1299(h)x535(w)x546(d)mm
Loading plate size:	280x262mm
Maximum load capacity:	200 kg


- steel construction
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

S02L

Steel Sack Truck

Dimension:	1202(h)x560(w)x470(d)mm
Loading plate size:	280x194mm
Maximum load capacity:	100 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S04R

Steel Sack Truck

Dimension:	1167(h)x476(w)x533(d)mm
Loading plate size:	280x245mm
Maximum load capacity:	250 kg

- plastic safety handles to prevent hand injuries
- protective plastic strips
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

S04Z

Steel Sack Truck

Dimension:	1010(h)x600(w)x532(d)mm
Loading plate size:	270x197mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- protective plastic strips
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

S04

Steel Sack Truck

Dimension:	1170(h)x595(w)x530(d)mm
Loading plate size:	270x197mm
Maximum load capacity:	250 kg

- plastic safety handles to prevent hand injuries
- protective plastic strips
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

blue | RAL 5017 ●
 red | RAL 3000 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 yellow | RAL 1007 ●
 green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S01A1

Aluminium Sack Truck

Dimension:	1047(h)x600(w)x534(d)mm
Loading plate size:	400x181mm
Maximum load capacity:	150 kg

- aluminium construction
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings



S02A1

Aluminium Sack Truck

Dimension:	1205(h)x581(w)x552(d)mm
Loading plate size:	270x245mm
Maximum load capacity:	150 kg

- aluminium construction
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings



S02A1HS

Aluminium Stair Climber Sack Truck

Dimension:	1205(h)x581(w)x601(d)mm
Loading plate size:	270x245mm
Maximum load capacity:	150 kg

- suitable for handling loads up stairs
- aluminium construction
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm



S04A1

Aluminium Sack Truck

Dimension:	1172(h)x595(w)x540(d)mm
Loading plate size:	270x200mm
Maximum load capacity:	150 kg

- aluminium construction
- protective plastic strips
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings



S04A1-sk

Aluminium Sack Truck with Folding Loading Plate

Dimension:	1165(h)x595(w)x542(d)mm
Loading plate size:	270x200mm
Maximum load capacity:	150 kg

- aluminium construction
- protective plastic strips
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings



S04RA1

Aluminium Sack Truck

Dimension:	1167(h)x476(w)x536(d)mm
Loading plate size:	270x245mm
Maximální nosnost:	150 kg

- aluminium construction
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- protective plastic strips



S114

Steel Sack Truck

Dimension:	1090(h)x623(w)x504(d)mm
Loading plate size:	500x200mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S115

Steel Sack Truck

Dimension:	1097(h)x623(w)x549(d)mm
Loading plate size:	400x246mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S116

Steel Sack Truck

Dimension:	1296(h)x661(w)x522(d)mm
Loading plate size:	400x221mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S07C

Steel Sack Truck

Dimension:	1106(h)x554(w)x506(d)mm
Loading plate size:	420x200mm
Maximum load capacity:	120 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S189L

Steel Sack Truck

Dimension:	1102(h)x565(w)x427(d)mm
Loading plate size:	390x140mm
Maximum load capacity:	100 kg

- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

blue | RAL 5017 ●
 red | RAL 3000 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 yellow | RAL 1007 ●
 green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S15PN

Steel Sack Truck

Dimension:	1286(h)x511(w)x505(d)mm
Loading plate size:	280x250mm
Maximum load capacity:	150 kg

- delivered without plastic handles
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



SA44C

Steel Sack Truck

Dimension:	1243(h)x486(w)x464(d)mm
Loading plate size:	315x230mm
Maximum load capacity:	250 kg

- plastic safety handles to prevent hand injuries
- solid wheels diam. 200 mm
- powder coated finish



S129

Steel Sack Truck

Dimension:	1321(h)x612(w)x586(d)mm
Loading plate size:	450x321mm
Maximum load capacity:	250 kg

- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and folding plate

S08

Sack Truck with Two Loading Plates

Dimension:	1165(h)x596(w)x599(d)mm
Fixed loading plate size:	400x111mm
Folding plate size:	335x320mm
Maximum load capacity:	100 kg

- fixed and folding loading plate
- steel construction
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Folding plate

S06A

Sack Truck with Folding Plate

Dimension:	1167(h)x555(w)x584(d)mm
Loading plate size:	335x331mm
Maximum load capacity:	100 kg

- steel construction
- solid wheels diam. 200 mm
- powder coated finish

blue | RAL 5017 ●
red | RAL 3000 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
yellow | RAL 1007 ●
green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.

S90F

Sack Truck with Two Loading Plates

Dimension:	1076(h)x504(w)x790(d)mm
Fixed loading plate size:	420x154mm
Folding plate size:	343x500mm
Maximum load capacity:	150 kg

- plastic handles
- steel construction
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and
folding
plate



Fixed and folding plate

S74-i1

Steel Sack Truck with Two Loading Plates

Dimension:	1092(h)x588(w)x609(d)mm
Fixed loading plate size:	350x185mm
Loading plate size:	333x327mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- fixed and folding loading plate
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and folding plate

S74-i2

Steel Sack Truck with Two Loading Plates

Dimension:	1092(h)x588(w)x797(d)mm
Fixed loading plate size:	350x185mm
Loading plate size:	333x515mm
Maximum load capacity:	200 kg

- plastic handles
- fixed and folding loading plate
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and folding plate

S74-i3

Steel Sack Truck with Two Loading Plates

Dimension:	1150(h)x588(w)x609(d)mm
Fixed loading plate size:	350x185mm
Loading plate size:	333x327mm
Maximum load capacity:	150 kg

- plastic safety handles to prevent hand injuries
- fixed and folding loading plate
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and folding plate

S40B

Sack Truck with Two Loading Plates

Dimension:	1081(h)x574(w)x576(d)mm
Fixed loading plate size:	347x163mm
Folding plate size:	347x281mm
Maximum load capacity:	200 kg

- plastic safety handles to prevent hand injuries
- fixed and folding loading plate
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and folding plate

S144

Sack Truck with Two Loading Plates

Dimension:	1150(h)x641(w)x511(d)mm
Fixed loading plate size:	445x229mm
Folding plate size:	381x416mm
Maximum load capacity:	250 kg

- fixed and folding loading plate
- steel construction
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



Fixed and folding plate

S01FR

Sack Truck with Two Loading Plates

Dimension:	1148(h)x550(w)x774(d)mm
Fixed loading plate size:	500x196mm
Folding plate size:	475x319mm
Maximum load capacity:	200 kg

- fixed and folding loading plate
- steel construction
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

blue | RAL 5017 ● red | RAL 3000 ● dark grey | RAL 7031 ● black | RAL 9005 ● yellow | RAL 1007 ● green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S01HS

Stair Climber Sack Truck

Dimension:	1050(h)x608(w)x539(d)mm
Loading plate size:	400x175mm
Maximum load capacity:	250 kg

- suitable for handling loads up stairs
- steel construction
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish



S

Stair Climber Sack Truck

Dimension:	1020(h)x565(w)x518(d)mm
Loading plate size:	400x140mm
Maximum load capacity:	250 kg

- suitable for handling loads up stairs
- steel construction
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish



S04S1

Stair Climber Sack Truck

Dimension:	1170(h)x595(w)x549(d)mm
Loading plate size:	310x197mm
Maximum load capacity:	250 kg

- suitable for handling loads up stairs
- steel construction
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish



Folding option

S29B

Stair Climber Folding Sack Truck

Dimension:	1200(h)x550(w)x563(d)mm
Dimension when folded:	835(h)x550(w)x405(d)mm
Folding plate size:	270x195mm
Maximum load capacity:	200 kg

- suitable for handling loads up stairs
- steel construction
- foldable sack truck saves space (for example during transport in a car)
- when folded it takes up little space for its storage
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish



S04Vk1

Stair Climber Sack Truck

Dimension:	1303(h)x600(w)x571(d)mm
Loading plate size:	197x270mm
Maximum load capacity:	150 kg

- suitable for handling loads up stairs
- plastic safety handles to prevent hand injuries
- protective plastic strips
- steel construction
- solid wheels diam. 140 mm
- powder coated finish



S02HS

Stair Climber Sack Truck

Dimension:	1203(h)x566(w)x589(d)mm
Loading plate size:	280x237mm
Maximum load capacity:	150 kg

- suitable for handling loads up stairs
- plastic safety handles to prevent hand injuries
- steel construction
- solid wheels diam. 140 mm
- powder coated finish

blue | RAL 5017 ● | black | RAL 9005 ●
 red | RAL 3000 ● | yellow | RAL 1007 ●
 dark grey | RAL 7031 ● | green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.

Fixed and folding plate



S136SH

Stair Climber Sack Truck with Two Loading Plates

Dimension:	1253(h)x550(w)x906(d)mm
Fixed loading plate size:	400x217mm
Folding plate size:	400x475mm
Maximum load capacity:	200 kg

- steel construction
- plastic safety handle to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish

Fixed and folding plate



S20A

Stair Climber Sack Truck with Two Loading Plates

Dimension:	1025(h)x562(w)x612(d)mm
Fixed loading plate size:	400x123mm
Folding plate size:	320x489mm
Maximum load capacity:	200 kg

- suitable for handling loads up stairs
- steel construction
- fixed and folding loading plate
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish

Fixed and folding plate



Fixed and folding plate



Fixed and folding plate



S20

Stair Climber Sack Truck with Two Loading Plates

Dimension:	1025(h)x562(w)x538(d)mm
Fixed loading plate size:	400x123mm
Folding plate size:	320x484mm
Maximum load capacity:	200 kg

- suitable for handling loads up stairs
- steel construction
- fixed and folding loading plate
- plastic safety handles to prevent hand injuries
- solid wheels diam. 140 mm
- powder coated finish

S20C

Stair Climber Sack Truck with Two Loading Plates

Dimension:	1171(h)x562(w)x612(d)mm
Fixed loading plate size:	400x123mm
Folding plate size:	320x490mm
Maximum load capacity:	200 kg

- suitable for handling loads up stairs
- steel construction
- plastic safety handles to prevent hand injuries
- fixed and folding loading plate
- solid wheels diam. 140 mm
- powder coated finish

S01SF

Stair Climber Sack Truck with Two Loading Plates

Dimension:	1149(h)x549(w)x830(d)mm
Fixed loading plate size:	500x196mm
Folding plate size:	475x320mm
Maximum load capacity:	200 kg

- suitable for handling loads up stairs
- fixed and folding loading plate
- steel construction
- solid wheels diam. 140 mm
- powder coated finish

blue | RAL 5017 ● | black | RAL 9005 ●
 red | RAL 3000 ● | yellow | RAL 1007 ●
 dark grey | RAL 7031 ● | green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S29Ai1

Steel Folding Sack Truck

Dimension:	1159(h)x520(w)x478(d)mm
Dimension when folded:	855(h)x520(w)x303(d)mm
Folding plate size:	270x195mm
Maximum load capacity:	150 kg

- foldable sack truck saves space (for example during transport in a car)
- when folded it takes up little space for its storage
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S29a-i2

Steel Folding Sack Truck

Dimension:	1185(h)x550(w)x478(d)mm
Dimension when folded:	835(h)x550(w)x303(d)mm
Folding plate size:	270x195mm
Maximum load capacity:	150 kg

- foldable sack truck saves space (for example during transport in a car)
- when folded it takes up little space for its storage
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S29A

Steel Folding Sack Truck

Dimension assembled:	1200(h)x550(w)x495(d)mm
Dimension when folded:	835(h)x550(w)x336(d)mm
Folding plate size:	270x195mm
Maximum load capacity:	250 kg

- foldable sack truck saves space (for example during transport in a car)
- when folded it takes up little space for its storage
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

S05Ai

Steel Folding Sack Truck

Dimension assembled:	1112(h)x428(w)x507(d)mm
Dimension when folded:	664(h)x428(w)x171(d)mm
Folding plate size:	254x340mm
Maximum load capacity:	80 kg

- folded handle and loading plate
- solid wheels diam. 140 mm
- powder coated finish



- | | | | |
|----------------------|---|-------------------|---|
| blue RAL 5017 | ● | black RAL 9005 | ● |
| red RAL 3000 | ● | yellow RAL 1007 | ● |
| dark grey RAL 7031 | ● | green RAL 6005 | ● |

Our products can be powder coated also in different RAL colour shades.

S169B

Drum Truck



Dimension:	835-1012(h)x649(w)x1194-1230(d)mm
Drum height:	870-1190mm
Maximum load capacity:	200 kg

- steel construction
- two polyurethane wheels diam. 260 mm with needle bearings
- two solid wheels diam. 160 mm
- powder coated finish

- | | | | |
|----------------------|---|-------------------|---|
| blue RAL 5017 | ● | black RAL 9005 | ● |
| red RAL 3000 | ● | yellow RAL 1007 | ● |
| dark grey RAL 7031 | ● | green RAL 6005 | ● |

Our products can be powder coated also in different RAL colour shades.

S12-2H

Two Gas Cylinders Sack Truck

Dimension:	1089(h)x676(w)x453(d)mm
Loading plate size:	470x201mm
Maximum load capacity:	100 kg

- for transporting two gas cylinders
- steel construction
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish



S12H

Gas Cylinder Sack Truck

Dimension:	1209(h)x457(w)x375(d)m
Loading plate size:	260x210mm
Maximum load capacity:	100 kg

- for transporting one gas cylinder
- steel construction
- plastic safety handle to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- powder coated finish

blue | RAL 5017 ●
 red | RAL 3000 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 yellow | RAL 1007 ●
 green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S18

Steel Sack Truck Trolley with Two Loading Plates



Dimension - sack truck:	1314(h)x592(w)x606(d)mm
Dimension - trolley:	606(h)x1314(w)x592(d)mm
Loading size:	860x395mm
Fixed loading plate size:	140x400mm
Folding plate size:	335x325mm
Maximum load capacity:	200 kg

- when unfolded to a trolley, suitable for the transport of bigger volume weights
- it has both a fixed and a folding loading plate when it is folded into a sack truck
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- two swivel castors diam. 100 mm
- powder coated finish

blue | RAL 5017 ●
red | RAL 3000 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
yellow | RAL 1007 ●
green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



S11

Steel Sack Truck Trolley with Folding Plate

Dimension – sack truck:	1193(h)x602(w)x581(d)mm
Dimension – trolley:	962(h)x1193(w)x602(d)mm
Fixed loading plate size:	971x390mm
Folding plate plate:	335x306mm
Maximum load capacity:	150 kg

- when unfolded to a trolley, suitable for the transport of bigger volume weights
- it has a folding loading plate when it is folded into a sack truck
- steel construction
- two polyurethane wheels diam. 260 mm with needle bearings
- two swivel castors with brakes diam. 100 mm
- powder coated finish



S77F

Steel Sack Truck – Trolley

Dimension - sack truck:	1295(h)x590(w)x498(d)mm
Dimension - trolley:	823(h)x1295(w)x590(d)mm
Loading size:	1090x535mm
Fixed loading plate size:	540x200mm
Maximum load capacity:	200 kg

- when unfolded to a trolley, suitable for the transport of bigger volume weights
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- two swivel castors diam. 100 mm
- powder coated finish

S18C

Steel Sack Truck - Trolley with Two Loading Plates

Dimension - sack truck:	1200(h)x600(w)x597(d)mm
Dimension - trolley:	1005(h)x1200(w)x600(d)mm
Loading size:	917x390mm
Fixed loading plate size:	390x140mm
Folding plate size:	335x310mm
Maximum load capacity:	200 kg

- when unfolded to a trolley, suitable for the transport of bigger volume weights
- it has both a fixed and a folding loading plate when it is folded into a sack truck
- plastic safety handles to prevent hand injuries
- polyurethane wheels diam. 260 mm with needle bearings
- two swivel castors diam. 100 mm
- powder coated finish



- blue | RAL 5017
- red | RAL 3000
- dark grey | RAL 7031
- black | RAL 9005
- yellow | RAL 1007
- green | RAL 6005

Our products can be powder coated also in different RAL colour shades.

Transport trucks with the help of which we can easily move the boxes, crates and other loads.

Ideal for transporting larger objects. We recommend handling on a flat and dry surface.

All trucks are made in TRESTLES, a.s.

TTRANSPOR T TRUCKS





W01N

Steel Transport Truck

Dimension:	871(h)x1009(w)x509(d)mm
Loading surface size:	940x435mm
Maximum load capacity:	250 kg

- two tubular sides
- solid plywood base
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



W02N

Steel Transport Truck

Dimension:	904(h)x1132(w)x509(d)mm
Loading surface size:	940x435mm
Maximum load capacity:	250 kg

- two handles
- solid plywood base
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



W03N

Steel Transport Truck

Dimension:	904(h)x1132(w)x509(d)mm
Loading surface size:	940x435mm
Maximum load capacity:	250 kg

- two handles with plywood
- solid plywood base
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



W04N

Steel Transport Truck

Dimension:	904(h)x1132(w)x509(d)mm
Loading surface size:	940x435mm
Maximum load capacity:	250 kg

- two handles with plywood
- two sides with plywood
- solid plywood base
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



W05N

Steel Transport Truck

Dimension:	904(h)x1061(w)x509(d)mm
Loading surface size:	940x435mm
Maximum load capacity:	250 kg

- one handle
- solid plywood base
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



W06N

Steel Transport Truck with Shelves

Dimension:	1903(h)x1042(w)x509(d)mm
Number of shelves:	5 pcs
Maximum load capacity:	250 kg
Maximum load capacity per shelf:	50 kg

- solid plywood base and shelves
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish

blue | RAL 5017 ●
 red | RAL 3000 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 yellow | RAL 1007 ●
 green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



W07N

Steel Transport Truck

Dimension:	898(h)x1071(w)x504(d)mm
Loading surface size:	1000x423mm
Maximum load capacity:	250 kg
Maximum load capacity per shelf:	50 kg

- steel construction
- solid plywood base and shelves
- 2 shelves
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish

W07Na

Steel Transport Truck

Dimension:	898(h)x1071(w)x504(d)mm
Loading surface size:	1000x423mm
Maximum load capacity:	250 kg
Maximum load capacity per shelf:	50 kg

- steel construction
- solid plywood base and shelves
- 1 shelf
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish

W13N

Steel Transport Truck

Dimension:	1060(h)x1071(w)x504(d)mm
Loading surface size:	860x587mm
Maximum load capacity:	250 kg
Maximum load capacity per shelf:	50 kg

- steel construction
- solid plywood base and shelves
- 2 shelves
- four swivel castors diam. 125 mm, two of them with a brake
- powder coated finish



W3P

Transport Truck with Metal Shelves

Dimension:	915(h)x954(w)x528(d)mm
Shelf dimensions:	890x493mm
Number of shelves:	3pcs
Maximum load:	30 kg

- metal shelves
- steel construction
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



VSM12

Transport Truck with a Folding Handle

Dimension:	874(h)734x(w)480(d)mm
Folded trolley dimensions:	236(h)734x(w)480(d)mm
Loading surface size:	734x480mm
Maximum load capacity:	50 kg

- sheet metal bottom
- steel construction
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish

blue | RAL 5017 ●
 red | RAL 3000 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 yellow | RAL 1007 ●
 green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



Load capacity 400 kg!!



Load capacity 400 kg!



Load capacity 400 kg!

WD03

Heavy Duty Steel Transport Truck

Dimension:	1063(h)x1420(w)x675(d)mm
Loading surface size:	1207x607mm
Maximum load capacity:	400 kg

- two handles with waterproof plywood
- solid waterproof plywood base
- four castors diam. 160 mm, two fixed and two swivel with a brake
- powder coated finish

WD04

Heavy Duty Steel Transport Truck

Dimension:	1063(h)x1420(w)x675(d)mm
Loading surface size:	1207x607mm
Maximum load capacity:	400 kg

- two handles with mesh panel
- two sides with mesh panel
- solid waterproof plywood base
- four castors diam. 160 mm, two fixed and two swivel wheels with a brake
- powder coated finish

WD05

Heavy Duty Steel Transport Truck

Dimension:	1063(h)x1420(w)x675(d)mm
Loading surface size:	1207x607mm
Maximum load capacity:	400 kg

- two handles with mesh panel
- solid waterproof plywood base
- four castors diam. 160 mm, two fixed and two swivel wheels with a brake
- powder coated finish



Load capacity 400 kg!



Load capacity 400 kg!



Load capacity 400 kg!

WD06

Heavy Duty Steel Transport Truck with Shelves

Dimension:	1984(h)x1280(w)x675(d)mm
Number of shelves:	5pcs
Maximum load capacity:	400 kg
Maximum load capacity per shelf:	80 kg

- solid waterproof plywood base and shelves
- four wheels diam. 160 mm, two fixed and two swivel castors with a brake
- powder coated finish

WD07

Heavy Duty Steel Transport Truck

Dimension:	1063(h)x1420(w)x675(d)mm
Loading surface size:	1207x607mm
Maximum load capacity:	400 kg

- two handles with waterproof plywood
- two sides with waterproof plywood
- solid waterproof plywood base
- four wheels diam. 160 mm, two fixed and two swivel castors with a brake
- powder coated finish

WD08

Heavy Duty Steel Transport Truck

Dimension:	1063(h)x1348(w)x675(d)mm
Loading surface size:	1207x607mm
Maximum load capacity:	400 kg

- one handle
- solid waterproof plywood base
- four wheels diam. 160 mm, two fixed and two swivel castors with a brake
- powder coated finish

blue | RAL 5017 ● red | RAL 3000 ● dark grey | RAL 7031 ● black | RAL 9005 ● yellow | RAL 1007 ● green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



Load capacity 700 kg!



Load capacity 700 kg!



Load capacity 250 kg!

WOS

Turntable Truck with a Handle

Dimension:	450(h)x1770(w)x755(d)mm
Loading surface size:	1520x755mm
Maximum load capacity:	700 kg

- polypropylene turntable friction plate
- solid plywood base
- inflatable wheels diam. 300 mm with ball bearings
- steel construction
- powder coated finish

WOS4-1

Turntable Truck with a Handle

Dimension:	1117(h)x1770(w)x755(d)mm
Loading surface size:	1435x670mm
Maximum load capacity:	700 kg

- flexible truck with mesh sides can have 8 sides, 4 low sides, or none of them, according to your current needs
- polypropylene turntable friction plate
- solid plywood base
- inflatable wheels diam. 300 mm with ball bearings
- steel construction
- powder coated finish

WPR13

Mesh Side Panels Transport Truck

Dimension:	1753(h)x1202(w)x702(d)
Number of shelves:	4pcs
Loading surface size:	1146x620mm
Maximum load capacity per shelf:	50 kg
Chassis load capacity	250 kg

- steel construction
- three mesh side panels
- plywood shelves hang on the mesh, plywood base
- four castors diam. 160 mm, two fixed and two swivel wheels with a brake
- powder coated finish



Load capacity 400 kg!



Load capacity 150 kg!



Load capacity 400 kg!

PVS

Steel Platform Truck

Dimension:	1072(h)x1437(w)x685(d)mm
Loading surface size:	1140x550mm
Maximum load capacity:	400 kg

- basket made from a perforated metal sheet
- solid plywood base thickness 15 mm
- four castors diam. 200 mm, two fixed and two swivel
- powder coated finish

WPK

Sheet Material Transport Truck

Dimension:	1370(h)x1050(w)x702(d)mm
Maximum load capacity:	150 kg

- for transporting sheet material
- steel construction
- polyurethane wheels diam. 260 mm with needle bearings
- two swivel castors diam. 100 mm
- powder coated finish

WPBGa

Steel Transport Truck

Dimension:	983(h)x1381(w)x866(d)mm
Loading surface size:	1210x810mm
Maximum load capacity:	400 kg

- one tubular handle
- four castors diam. 160 mm, two fixed and two swivel wheels with a brake
- steel construction
- suitable for a pallet size 1200x800mm (the pallet is not included)
- powder coated finish

blue | RAL 5017 ● | black | RAL 9005 ●
 red | RAL 3000 ● | yellow | RAL 1007 ●
 dark grey | RAL 7031 ● | green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.



WPD3

Sheet Material Transport Truck



Dimension:	1045(h)x886(w)x368(d)mm
Loading width:	122mm
Maximum load capacity:	70 kg

- polyurethane wheels diam. 260 mm with needle bearings
- steel construction
- glued in carpet to protect against damage
- for transporting sheet material or doors
- powder coated finish
- plastic handles

- blue | RAL 5017 
 - red | RAL 3000 
 - dark grey | RAL 7031 
- black | RAL 9005 
 - yellow | RAL 1007 
 - green | RAL 6005 

Our products can be powder coated also in different RAL colour shades.



WPBGb

Steel Transport Truck

Dimension:	922(h)x1381(w)x1066(d)mm
Loading surface size:	1210x1010mm
Maximum load capacity:	400 kg

- one tubular handle
- four castors diam. 160 mm, two fixed and two swivel wheels with a brake
- suitable for a pallet size 1200x1000mm (the pallet is not included)
- powder coated finish



T90

Storage Truck

Dimension:	1359(h)x467(w)x603(d)mm
Internal dimension:	404x592mm
Height of a tray:	113mm
Number of trays:	9

- suitable for euro boxes size 600x400mm
- steel construction
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



WPD

Sheet Material Transport Truck

Dimension:	324(h)x300(w)x271(d)mm
Loading width:	50mm
Maximum load capacity:	70 kg

- polyurethane wheels diam. 260 mm with needle bearings
- steel construction
- glued in carpet to protect against damage
- for transporting sheet material or doors
- powder coated finish



T90a

Storage Truck

Dimension:	1870(h)x467(w)x603(d)mm
Internal dimension:	404x592mm
Height of a tray:	113mm
Number of trays:	13

- suitable for euro boxes size 600x400mm
- steel construction
- four swivel castors diam. 100 mm, two of them with a brake
- powder coated finish



WPD-2b

Sheet Material Transport Truck

Dimension:	345(h)x300(w)x387(d)mm
Loading width:	80mm
Maximum load capacity:	70 kg

- polyurethane wheels diam. 260 mm with needle bearings
- steel construction
- glued in carpet to protect against damage
- for transporting sheet material or doors
- powder coated finish



T115

Mobile Firewood Stand

Dimension:	1166(h)x641(w)x918(d)mm
------------	-------------------------

- the stand has removable wheels, it can be loaded outside using the larger wheels only
- larger wheels can be removed inside the house
- you can use the smaller wheels (which remain clean) to transport the stand to its place
- after removing both types of wheels, it can be left in place as a stand
- two polyurethane wheels diam. 260mm with needle bearings
- two solid wheels diam. 140 mm
- powder coated finish

blue | RAL 5017 ●
red | RAL 3000 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
yellow | RAL 1007 ●
green | RAL 6005 ●

Our products can be powder coated also in different RAL colour shades.

Building trestles belong to useful helpers not only in the building industry.

They are universally usable for painting, cutting and other assembly, workshop and construction work.

The load capacity is always stated for one pair of trestles, it means for two opposite standing pieces.

All trestles are made in TRESTLES, a.s. We powder coat our products in different RAL colour shades.



BUILDING TRESTLES



PMB2001

Steel Adjustable Building Trestle

Loading width:	1190mm
Height:	1240-1940mm
Maximum load capacity:	2000 kg/pair

- adjustable height
- steel construction
- powder coated finish




T01

Steel Foldable Trestle

Loading width:	775mm
Height:	735mm
Maximum load capacity:	200 kg/pair

- steel construction
- powder coated finish



T07c

Steel Foldable Trestle

Loading width:	640mm
Height:	740mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish



T3P-4

Steel Adjustable Trestle

Loading width:	734mm
Height:	624-924mm
Maximum load capacity:	175 kg/pair

- adjustable height
- steel construction
- powder coated finish



T4P-4

Steel Adjustable Trestle

Loading width:	744-1014mm
Height:	623-923mm
Maximum load capacity:	175 kg/pair

- adjustable height
- steel construction
- powder coated finish



T5P

Steel Adjustable Building Trestle

Loading width:	1100mm
Height:	995-1410mm
Maximum load capacity:	500 kg/pair

- adjustable height
- steel construction
- powder coated finish

blue | RAL 5017 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.

T76a-HL

Vertical storage stand - main module

Dimension:	1501(h)x360(w)x606(d)mm
Loading space width:	305mm

- suitable for storing pipes or other rod material
- steel construction
- powder coated finish



T76a-PR

Vertical storage stand - add-on module

Dimension:	1501(h)x330(w)x606(d)mm
Loading space width:	305mm

- suitable for storing pipes or other rod material
- steel construction
- by purchasing this part, you can extend the main module with another module of the same size
- in this way you can continue and build any number of modules
- powder coated finish



blue | RAL 5017 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.



TA01

Steel Foldable Trestle

Loading width:	610mm
Height:	735mm
Maximum load capacity:	200 kg/pair

- steel construction
- powder coated finish



T01E

Steel Foldable Trestle

Loading width:	610mm
Height:	750mm
Maximum load capacity:	100 kg/pair

- wooden bed
- steel construction
- powder coated finish



T02

Steel Trestle

Loading width:	800mm
Height:	748mm
Maximum load capacity:	200 kg/pair

- steel construction
- powder coated finish



Adjustable height

T30a

Steel Adjustable Building Trestle

Loading width:	1020mm
Height:	1175-2175mm
Maximum load capacity:	1500 kg/pair

- adjustable height
- steel construction
- powder coated finish



Adjustable height

T12B

Adjustable stand with roller

Loading width:	285mm
Height:	680-1110(h)x428(w)x350(d)mm
Maximum load capacity:	100 kg

- adjustable height
- steel construction
- moving a load using a roller
- powder coated finish



T31a

Wood cutting stand

Loading width:	750mm
Height:	842-907(h)x750(w)x745(d)mm
Maximum load capacity:	100 kg

- saw attachment
- steel construction
- powder coated finish

blue | RAL 5017 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.

BULDING TRESTLE IN 7 DIFFERENT SIZES

T11A

Steel Foldable Trestle

Loading width:	1130mm
Height:	600mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish

T11B

Steel Foldable Trestle

Loading width:	1130mm
Height:	700mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish

T11C

Steel Foldable Trestle

Loading width:	1130mm
Height:	850mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish

T11D

Steel Foldable Trestle

Loading width:	1130mm
Height:	1000mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish

T11E

Steel Foldable Trestle

Loading width:	1130mm
Height:	1250mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish

T11F

Steel Foldable Trestle

Loading width:	1130mm
Height:	1350mm
Maximum load capacity:	100 kg/pair


- steel construction
- powder coated finish

T11G

Steel Foldable Trestle

Loading width:	1130mm
Height:	1500mm
Maximum load capacity:	100 kg/pair

- steel construction
- powder coated finish



blue | RAL 5017 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.

Provide to your customers, students or colleagues visually interesting and practical dressing rooms, which will serve them well. Metal lockers are the ideal solution for fitting out dressing rooms.

TRESTLES, a.s. manufactures metal furniture on a state-of-the-art automated production line, delivering reliable quality and repeatable precision.

We powder coat our products in all RAL colour shades.

METAL FURNITURE



SS2-9

Two-door Metal Locker

Dimension:	1800(h)x595(w)x500(d)mm
Number of doors:	2

- two separate sections
- steel construction
- a shelf, a clothes rail and three hooks in each section
- a slot for a name tag, a lock with two keys
- powder coated finish



SS1-13

Metal Locker

Dimension:	1800(h)x297(w)x500(d)mm
Number of doors:	1

- steel construction
- a shelf, a clothes rail and three hooks
- a slot for a name tag, a lock with two keys
- powder coated finish



SS1-2

Two-door Metal Locker

Dimension:	1881(h)x297(w)x500(d)mm
Number of doors:	2

- two separate sections
- steel construction
- a shelf and a double hook in each section
- a slot for a name tag, a lock with two keys
- powder coated finish



PSRR2-KLb

Steel Working Station

Dimension:	1525(h)x1200(w)x600(d)mm
Work surface dimension:	900 mm

- work desk made of plywood in height of 900 mm
- two drawers with slides
- back tool panel and top shelf
- maximum load capacity of the bottom shelf: 300 kg
- maximum load capacity of the work desk 300 kg



PSE

Workbench

Dimension:	830(h)x1200(w)x600(d)mm
Work surface dimension:	1200(w)x600(d)mm

- work desk made of laminate in wood decor
- steel construction
- two drawers, lockable cabinet
- powder coated finish



SPB 2G6

Lockable Cabinet


Dimension:	1950(h)x920(w)x421(d)mm
Number of doors:	2

- five metal sheet shelves
- steel construction
- a lock with two keys
- powder coated finish

blue | RAL 5017 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.

Metal Locker - SSM





SS1M

Metal Locker

Dimension:	1800(h)x312(w)x500(d)mm
Number of doors:	1

- steel construction
- a shelf, a clothes rail and three hooks
- a slot for a name tag, a lock with two keys
- powder coated finish



SS2M

Two-Door Metal Locker

Dimension:	1800(h)x600(w)x500(d)mm
Number of doors:	2

- two separate sections
- steel construction
- a shelf and a double hook in each section
- a slot for a name tag, a lock with two keys
- powder coated finish



SS3M

Three-Door Metal Locker

Dimension:	1881(h)x888(w)x500(d)mm
Number of doors:	3

- three separate sections
- steel construction
- a shelf and a double hook in each section
- a slot for a name tag, a lock with two keys
- powder coated finish




SS4M

Four-Door Metal Locker

Dimension:	1800(h)x1175(w)x500(d)mm
Number of doors:	4

- four separate sections
- steel construction
- a shelf and a double hook in each section
- a slot for a name tag, a lock with two keys
- powder coated finish




SSM-N

Legs For a Metal Locker

Dimension:	100(h)x60(w)x60(d)mm
Quantity per locker:	4

- height matching the locker plinth
- steel construction
- powder coated finish



SSM-S

Plinth For a Metal Locker

Dimension 1-door:	104(h)x312(w)x500(d)mm
Dimension 2-door:	104(h)x600(w)x500(d)mm
Dimension 3-door:	104(h)x888(w)x500(d)mm
Dimension 4-door:	104(h)x1175(w)x500(d)mm

- height matching the locker legs
- steel construction
- powder coated finish



Available in all RAL colours (powder coated).

Our products can be powder coated also in different RAL colour shades.

SS4M-L

Two-Door Metal Locker with Bench

Dimension:	1880(h)x600(w)x500-800(d)mm
Number of doors:	2

- integrated bench for convenient changing
- steel construction
- a shelf and a double hook in each section
- a slot for a name tag, a lock with two keys
- powder coated finish





SKM25

Lockable Small Cabinet

Dimension:	249(h)x249(w)x251(d)mm
Number of doors:	1

- steel construction
- a lock with two keys
- the possibility of screwing several cabinets together on top of each other or next to each other
- powder coated finish

SKM35

Lockable Small Cabinet

Dimension:	349(h)x349(w)x351(d)mm
Number of doors:	1

- steel construction
- a lock with two keys
- the possibility of screwing several cabinets together on top of each other or next to each other
- powder coated finish

SKM45

Lockable Small Cabinet

Dimension:	449(h)x449(w)x451(d)mm
Number of doors:	1

- steel construction
- a lock with two keys
- the possibility of screwing several cabinets together on top of each other or next to each other
- powder coated finish



SKM55

Lockable Small Cabinet

Dimension:	549(h)x549(w)x551(d)mm
Number of doors:	1

- steel construction
- a lock with two keys
- the possibility of screwing several cabinets together on top of each other or next to each other
- powder coated finish

SKM353570

Lockable Small Cabinet

Dimension:	698(h)x349(w)x351(d)mm
Number of doors:	1

- steel construction
- a lock with two keys
- the possibility of screwing several cabinets together on top of each other or next to each other
- powder coated finish

blue | RAL 5017 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.

LAV6

Simple Bench



Dimension:	445(h)x1580(w)x391(d)mm
Wooden seat size:	1500x350mm
Maximum load capacity:	320 kg

- wooden battens
- steel construction legs with powder coated finish

light grey | RAL 7035 ●
blue | RAL 5017 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.



Adjustable height



TSDZ

Disinfection stand

Dimension:	1107(h)x350(w)x350(d)mm
------------	-------------------------

- steel construction
- pedal dosing system
- powder coated finish

ZD3

Stool

Dimension:	553-710(h)x395(w)x395(d)mm
Seat size:	350x40mm
Max. load capacity	150 kg

- wooden seat
- rotary screw height adjustment system
- steel construction legs with powder coated finish

PS18106030

Steel Working Station

Dimension:	1800(h)x1000(w)x600/300(d)mm
Worktop height	890mm

- boltless system with butterflies
- 5 wooden shelves
- maximum load capacity of bottom shelves 200 kg/shelf
- maximum load capacity of top shelves 100 kg/shelf

RVI6B-6-5

Wine Rack

Dimension:	756(h)x614(w)x304(d)mm
------------	------------------------

- boltless system with butterflies
- 5 shelves
- suitable for 30 bottles
- dimension: 756x614x304 mm
- powder coated finish



SJK

Bicycle Stand

Catalogue number	Dimension:			
	Height (mm)	Width (mm)	Depth (mm)	Bicycles
SJK10	250	720	400	3
SJK3	250	1000	400	4
SJK13	250	1488	378	5

- width of the gap for placing the front wheel: 60 mm
- Hot-dip galvanized construction



blue | RAL 5017 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.



PRS1 Working Table

Dimension:	970(h)x1485(w)x615(d)mm
Working surface dimension:	1485x595mm
Bottom shelf width:	1445x226mm

- plywood work desk thickness 30 mm
- steel construction
- powder coated finish



PRS2 Working Table

Dimension:	970(h)x1195(w)x615(d)mm
Working surface dimension:	1195x595mm
Bottom shelf width:	1155x226mm

- plywood work desk thickness 30 mm
- steel construction
- powder coated finish



PRS18 Working Table

Dimension:	970(h)x1795(w)x615(d)mm
Working surface dimension:	1795x595mm
Bottom shelf width:	1755x226mm

- plywood work desk thickness 30 mm
- steel construction
- powder coated finish



PRS20 Working Table

Dimension:	970(h)x1995(w)x615(d)mm
Working surface dimension:	1995x595mm
Bottom shelf width:	1755x226mm

- plywood work desk thickness 30 mm
- steel construction
- powder coated finish



PRS22 Working Table

Dimension:	970(h)x2195(w)x615(d)mm
Working surface dimension:	2195x595mm
Bottom shelf width:	1755x226mm

- plywood work desk thickness 30 mm
- steel construction
- powder coated finish

blue | RAL 5017 ● black | RAL 9005 ●
dark grey | RAL 7031 ● red | RAL 3000 ●

Our products can be powder coated also in different RAL colour shades.

In this section we offer other interesting products produced in our company. These items include, for example, raised flower beds, flowerpots, woodshed, wood stands, garden benches and other products.

We also have special seasonal products here.



HOME AND GARDEN



KOM1

Composter

Dimension:	1089(h)x1089(w)x963(d) mm
------------	---------------------------

- garden composter
- steel construction
- surface treatment: galvanized + powder coating

KOM1P

Composter Extension

Dimension:	1089(h)x1089(w)x963(d) mm
------------	---------------------------

- garden composter
- steel construction
- surface treatment: galvanized + powder coating

KBP2

Trash Bin Cover

Dimension:	1236(h)x672(w)x770(d)mm
Opening dimension:	1166x575mm

- steel construction
- front door and a top lid
- perforated metal sheet ensures ventilation
- the cover can be extended by purchasing an additional module



ZAI2

Raised Flower Bed on Legs

Dimension:	840(h)x1000(w)x500(d) mm
Bed bottom height:	488 mm

- steel construction
- easy assembly and maintenance
- powder coated finish



RDRNC

Woodshed

Dimension:	1952(h)x2193(w)x1201(d) mm
Loading space depth:	740mm
Max. load capacity:	800 kg/shelf

- made from our shelving system
- stable steel construction
- ideal storage of firewood
- shelves and sides made of mesh
- metal roof, which thanks to the slope, automatically drains rainwater
- galvanised material + powder coated finish

gold | RAL 1923 ● green | RAL 9005 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ● yellow | RAL 1007 ●

Our products can be powder coated also in different RAL colour shades.



ZAI1

Raised Flower Bed with Robust Construction

Dimension:	360(h)x2000(w)x800(d)mm
	360(h)x1000(w)x500(d)mm
	360(h)x800(w)x800(d)mm

- easy installation and maintenance
- steel construction
- galvanised material + powder coated finish
- bed bottom is not included



ZAI1-5010

Raised Flower Bed with Robust Construction

Dimension:	725(h)x1000(w)x500(d)mm
------------	-------------------------

- easy installation and maintenance
- steel construction
- galvanised material + powder coated finish
- bed bottom is not included



ZAI1-5050

Raised Flower Bed with Robust Construction

Dimension:	360(h)x500(w)x500(d)mm
------------	------------------------

- easy installation and maintenance
- steel construction
- galvanised material + powder coated finish
- bed bottom is not included



ZAI2-8020

Raised Flower Bed with Robust Construction

Dimension:	750(h)x2000(w)x800(d)mm
------------	-------------------------

- easy installation and maintenance
- steel construction
- galvanised material + powder coated finish
- bed bottom is not included

gold | RAL 1923 ●
 green | RAL 9005 ●
 dark grey | RAL 7031 ●

black | RAL 9005 ●
 red | RAL 3000 ●
 yellow | RAL 1007 ●

Our products can be powder coated also in different RAL colour shades.

KRKM

Air Conditioning Covering

- for covering air conditioning or heat pump units
- steel construction
- powder coated finish



Catalogue number	Dimension:			Maximum unit size:		
	Height (mm)	Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Depth (mm)
KRKM-S	751	960	563	690	850	450
KRKM-M	861	990	563	800	880	450
KRKM-L	961	1060	613	900	950	500
KRKM-XL	1161	1100	610	1100	1000	500
KRKM-2XL	1361	1160	660	1300	1050	550
KRKM-3XL	1561	1210	710	1500	1100	600



- gold | RAL 1923
- green | RAL 9005
- dark grey | RAL 7031
- black | RAL 9005
- red | RAL 3000
- yellow | RAL 1007

Our products can be powder coated also in different RAL colour shades.



KVE1

Flowerpot

Dimension:	400(h)x403(w)x403(d)mm
------------	------------------------

- suitable for both decorative purpose and planting
- steel construction
- powder coated finish



RHU5010-1

Garden-stuff Crate

Dimension:	350(h)x1000(w)x500(d)mm
------------	-------------------------

- easy assembly and maintenance
- guarantees air flow
- steel shelving construction
- chipboard bottom
- powder coated finish



RHU5050-2

Pedestal for Clear Display of Goods in Stores

Dimension:	900(h)x500(w)x500(d)mm
Shelf:	2x chipboard
Maximum load capacity:	100 Kg

- easy assembly and maintenance
- steel shelving construction
- powder coated finish



T16M

Wood Cutting Stand

Loading width:	610mm
Height:	973mm

- steel construction
- powder coated finish



T111

Christmas Tree Stand

Dimension:	181(h)x330(w)x330(d)mm
------------	------------------------

- easy and stable construction
- steel construction
- powder coated finish



T101a

Clothes Hanger

Dimension:	1893(h)x608(w)x608(d)mm
Hooks in following levels:	1893, 1525 a 907mm

- 4 hooks in each of three different levels
- steel construction
- powder coated finish

gold | RAL 1923 ● black | RAL 9005 ●
 green | RAL 9005 ● red | RAL 3000 ●
 dark grey | RAL 7031 ● yellow | RAL 1007 ●

Our products can be powder coated also in different RAL colour shades.



T117

Wood Stand

Dimension:	1185(h)x1096(w)x382(d)mm
------------	--------------------------

- steel construction
- the stand can be extended according to your wish, you can extend the main module with another module of the same size
- powder coated finish



SDDi1

Chopped Wood Stand

Depth:	290mm
Wooden join dimension:	40x60mm
Wooden side dimension:	60x80mm

- wooden joints and wooden sides are not included in the package
- steel construction
- adjustable height and width
- powder coated finish



SDD1

Chopped Wood Stand

Depth:	294mm
Wooden join dimension:	40x60mm
Wooden side dimension:	1131mm

- wooden joints are not included in the package
- steel construction
- adjustable width
- powder coated finish



T114

Chopped Wood Stand

Dimension:	999(h)x480-796(w)x250(d)mm
------------	----------------------------

- adjustable width
- steel construction
- powder coated finish



T115

Mobile Firewood Stand

Dimension:	1166(h)x641(w)x918(d)mm
------------	-------------------------

- the stand has removable wheels, it can be loaded outside using larger wheels only
- larger wheels can be removed inside the house
- you can use smaller wheels (which remain clean) to transport the stand to its place
- after removing both types of wheels, it can be left in place as a stand
- two polyurethane wheels diam. 260mm with needle bearings
- two solid wheels diam. 140 mm
- powder coated finish



T113

Firewood Decorative Stand

Dimension:	1260(h)x980(w)x345(d)mm
------------	-------------------------

- can be decorated and used as a Christmas decoration
- steel construction
- powder coated finish

gold | RAL 1923 ● green | RAL 9005 ● dark grey | RAL 7031 ● black | RAL 9005 ● red | RAL 3000 ● yellow | RAL 1007 ●

Our products can be powder coated also in different RAL colour shades.



UBE

Hand Rammer

Dimension:	820(h)x400(w)x200(d)mm
Rammer area size:	30(h)x200(w)x200(d)mm

- steel construction
- for ramming soil, sand, gravel, concrete
- robust steel plate
- powder coated finish
- plastic handles
- weight 12.5kg



UBE3

Hand Rammer

Dimension:	810(h)x350(w)x200(d)mm
Rammer area size:	20(h)x200(w)x200(d)mm

- steel construction
- for ramming soil, sand, gravel, concrete
- robust steel plate
- powder coated finish
- plastic handles
- weight 8.5kg



PK4TZ

Garden Wheelbarrow

Catalogue No.	PK4TZ-60	PK4TZ-62	PK4TZ-72	PK4TZ-75	PK4TZ-90
Volume (l)	60	62	72	75	90

- tray made of galvanized sheet metal
- powder-coated surface finish
- steel frame construction
- solid wheel with a 400 mm diameter and needle bearing
- plastic handles



PKT1P

Construction Wheelbarrow PROFI

Catalogue No.	PKPT1-62	PKPT1-72	PKPT1-75	PKPT1-90
Volume (l)	62	72	75	90

- tray made of galvanized sheet metal
- powder-coated surface finish
- steel frame construction
- solid wheel with a 400 mm diameter and needle bearing
- plastic handles



STEEL FENCES

Steel fence panels are an ideal choice for modern homes. They offer complete flexibility and can be configured to meet your specific requirements.

Assembly according to your needs. Fence posts are not included as standard, but a version with fence posts is available.

The slats are attached to "U" profiles included in the product. The fence panels are manufactured from galvanized steel and finished in standard RAL colours using powder coating.

Key advantages include a lightweight design, easy installation, and design variability. These fences are manufactured directly by TRESTLES, a.s.

A close-up photograph of blue Z-slats, likely part of a window blind or architectural feature. The slats are arranged in a perspective that recedes into the distance. Strong shadows are cast across the slats, creating a rhythmic pattern of light and dark bands. The overall color palette is dominated by various shades of blue and white.

„Z” SLATS

SERIES

„Z SLATS“

FENCES PANELS

Our fence panels are perfectly suited to modern homes. They are primarily used for the design-oriented separation of the property from its surroundings and for creating a pleasant level of privacy.

Fence panels are manufactured in the following specification:

Dimensions: 1493 (H) × 2000 (W) mm, material: galvanized steel, number of slats: 12, surface finish: powder-coated with exterior-grade paint. Available colour options: anthracite RAL 7016, dark grey RAL 7031, black RAL 9005, green RAL 6005.

Special pliers are required for the installation of fence panels. As replacement and additional accessories, we recommend a cover strip and cover profile, which ensure clean lines of the fence panel. Furthermore, additional accessories can be used, such as corner post caps, intermediate post caps, and end post caps. Fence posts are supplied in versions for concreting in or for base plate mounting. The post material is stainless steel, subsequently finished with exterior powder coating. All replacement and additional accessories, including their application, can be found in the manual for the specific fence panel. Please observe safety regulations during installation and use appropriate protective equipment, such as gloves and protective eyewear.



GATES

We also offer modern and attractive gate variants designed for customers seeking a timeless solution with long service life. Gate frames and posts are manufactured from stainless steel, while other components are made of galvanized steel; all parts are subsequently finished with exterior-grade powder coating. Gates are available in the same colour options as fence panels – anthracite RAL 7016, dark grey RAL 7031, black RAL 9005, and green RAL 6005. We offer two types of gates: sliding gates and swing gates, both available with or without automation. The opening direction of the gate can be selected during installation (left/right).



WICKET GATES

Another product in our range includes modern and aesthetically clean wicket gate variants that complement the overall appearance of the fencing system. Gate frames and posts are manufactured from stainless steel, while other components are made of galvanized steel and subsequently finished with exterior-grade powder coating. Wicket gates are available in the same colour options as fence panels: anthracite RAL 7016, dark grey RAL 7031, black RAL 9005, and green RAL 6005. The opening direction of the wicket gate can be selected during installation (left/right).



FENCE PANELS „Z SLATS”

Steel Fence

TYPES OF FENCE PANEL INSTALLATIONS


A | 1x Foundation

The package includes U-profiles, top profile, slats, connecting material (rivets) for securing slats to U-profiles. Optional accessories include a cover profile, which neatly conceals connecting rivets. Riveting pliers are required for fence panel installation.

Dimensions: 1,253(h) x 2,000(l) mm, material: galvanized steel, number of slats: 10, surface finish: powder coated with exterior paint.

Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, you can place the entire fence panel between the pre-built posts. The internal dimension between the posts must be 2,000 mm. Attach the fence panel to the posts using suitable connecting material (not included in the package). A manual for the installation of each fence panel type is provided in the package.

CAUTION! If using a cover profile, follow the manual. The cover profile is attached to the fence panel before securing the panel to the posts.




B | 2x Foundation

The package includes U-profiles, top profile, slats, connecting material (rivets) for securing slats to U-profiles. Optional accessories include a cover profile, which neatly conceals connecting rivets. Riveting pliers are required for fence panel installation.

Dimensions: 893(h) x 2,000(l) mm, material: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, you can place the entire fence panel between the pre-built posts. The internal dimension between the posts must be 2,000 mm. Attach the fence panel to the posts using suitable connecting material (not included in the package). A manual for the installation of each fence panel type is provided in the package.

CAUTION! If using a cover profile, follow the manual. The cover profile is attached to the fence panel before securing the panel to the posts.




C | Installation of 50x50 mm Post in Concrete

The package includes U-profiles, top profile, slats, connecting material (rivets) for securing slats to U-profiles. As optional accessories, you can order a 50x50 mm post, continuous cover strip, end cover strip, 50x50 mm post cap, continuous post cap, end cap. Riveting pliers are required for fence panel installation.

Dimensions: 1,493(h) x 2,000(l) mm, material: galvanized steel, number of slats: 12, surface finish: powder coated with exterior paint.

The first important step is the correct embedding of the posts in concrete. Each post for concrete has a hole on one side. This hole is used to hang the post on a hook during painting in the powder coating line. Embed the post in the ground with the side with the hole. The depth in the ground is about 800 mm. Keep the post angle at 90° and the spacing at 2,000 mm (internal dimension between the posts).

Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, you can place the entire fence panel between the posts. Attach the panel to the posts using suitable connecting material (not included in the package, TEX screws are recommended). A manual for the installation of each fence panel type is provided in the package.




D | Installation of 50x50 mm Post on Base

The package includes U-profiles, top profile, slats, connecting material (rivets) for securing slats to U-profiles. As optional accessories, you can order a 50x50 mm post with base, continuous cover strip, end cover strip, 50x50 mm post cap, continuous post cap, end cap. Riveting pliers are required for fence panel installation.

Dimensions: 1,493(h) x 2,000(l) mm, material: galvanized steel, number of slats: 12, surface finish: powder coated with exterior paint.

Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, you can place the entire fence panel between the posts. Attach the panel to the posts using suitable connecting material (not included in the package, TEX screws are recommended). A manual for the installation of each fence panel type is provided in the package.



anthracite | RAL 7016 ● black | RAL 9005 ●
dark grey | RAL 7031 ● green | RAL 6005 ●

SWING GATES „Z SLATS”

Steel swing gates, mechanical or with electric drive

GATE INSTALLATION TYPES


A | Swing Gate with Drive, Installation in Concrete

Included in the package are frames, U-profiles, cover strips, top profiles, slats, connecting material, hinges, profiles for attaching the gate opening mechanism. As optional accessories, you can order a 100x100 mm post, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461 (h) x 4,200 (l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it with screws.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. A manual for the installation of each gate type is provided in the package. The locking is done automatically with servo motor; the servo motor is not included in the package.




B | Swing Gate with Drive, Installation on Base

Included in the package are frames, U-profiles, cover strips, top profiles, slats, connecting material, hinges, profiles for attaching the gate opening mechanism. As optional accessories, you can order a 100x100 mm post with base, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461 (h) x 4,200 (l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.

First, assemble the fillings, the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it with screws.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. A manual for the installation of each gate type is provided in the package. The locking is done automatically with servo motor; the servo motor is not included in the package.




C | Mechanical Swing Gate, Installation in Concrete

Included in the package are frames, U-profiles, cover strips, top profiles, slats, connecting material, hinges, lock, handle, stop cap, gate locking. As optional accessories, you can order a 100x100 mm post, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461 (h) x 4,200 (l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it with screws. Install the gate locking.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. The remaining steps include mounting the handle, lock and stop cap. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.




D | Mechanical Swing Gate, Installation on Base

Included in the package are frames, U-profiles, cover strips, top profiles, slats, connecting material, hinges, lock, crank, stop cap, gate locking. As optional accessories, you can order a 100x100 mm post with base, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461 (h) x 4,200 (l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it with screws. Install the gate locking.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. The remaining steps include mounting the handle, lock and stop cap. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.



anthracite | RAL 7016 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
green | RAL 6005 ●

SLIDING GATES „Z SLATS”

Steel sliding gates with electric drive

GATE INSTALLATION TYPES

A | Installation in Concrete

The package includes frames, U-profiles, cover strips, top profiles, slats, connecting material, end caps, bottom C-profile, drive accessories. As optional accessories, you can order a 100x100 mm post, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.


First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strip.

If you have completed the fillings, set the gate and set the support trolleys in hardened concrete, you can place the gate body on the support trolleys. The installation itself is very simple; the support profile on the bottom of the gate can be easily and conveniently mounted on the support trolleys. Then, check the smoothness of the gate's movement and adjust the gate using the tilt adjustment screws.

Next, install the guide wheel into the bottom C-profile of the drive, place the drive pocket and upper stop on the end post, and fit end caps into the supporting C-profile. The guide wheel lightens the trolleys and the C-profile in the closed position.

All that remains is to insert the fence panels into the frames and secure them with screws. A manual for the installation of each gate type is provided in the package.

A properly seated gate should not exert significant resistance during movement or drag in any way during closing; the movement must be smooth and even. The locking is done automatically with servo motor; the servo motor is not included in the package.



B | Installation on Base

The package includes frames, U-profiles, cover strips, top profiles, slats, connecting material, end caps, bottom C-profile, drive accessories. As optional accessories, you can order a 100x100 mm post with base, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.


First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strip.

If you have completed the fillings, set the gate and set the support trolleys in hardened concrete, you can place the gate body on the support trolleys. The installation itself is very simple; the support profile on the bottom of the gate can be easily and conveniently mounted on the support trolleys. Then, check the smoothness of the gate's movement and adjust the gate using the tilt adjustment screws.

Next, install the guide wheel into the bottom C-profile of the drive, place the drive pocket and upper stop on the end post, and fit end caps into the supporting C-profile. The guide wheel lightens the trolleys and the C-profile in the closed position.

All that remains is to insert the fence panels into the frames and secure them with screws. A manual for the installation of each gate type is provided in the package.

A properly seated gate should not exert significant resistance during movement or drag in any way during closing; the movement must be smooth and even. The locking is done automatically with servo motor; the servo motor is not included in the package.



anthracite | RAL 7016 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
green | RAL 6005 ●

WICKET GATES „Z SLATS”

Steel Wicket Gates

GATE INSTALLATION TYPES


A | Installation in Concrete

The package includes a frame, U-profiles, cover strips, top profiles, slats, connecting material, hinges, lock, handle, stop cap, gate stop. As optional accessories, you can order a 100x100 mm post, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461(h) x 900(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strip, and you can insert the entire fence panel into the frame and secure it with screws.

A half hinge is prepared on the gate frame for attachment to the posts. Attach the top and bottom one and the gate is functional. The remaining steps include mounting the handle, lock and gate stop. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.




B | Installation on Base

The package includes a frame, U-profiles, cover strips, top profiles, slats, connecting material, hinges, lock, handle, stop cap, gate stop. As optional accessories, you can order a 100x100 mm post with base, post cap. For the installation of the filling, you will need riveting pliers.

Dimensions: 1,461(h) x 900(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 11, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with rivets. Once the slats are attached, attach the cover strip, and you can insert the entire fence panel into the frame and secure it with screws.

A half hinge is prepared on the gate frame for attachment to the posts. Attach the top and bottom one and the gate is functional. The remaining steps include mounting the handle, lock and gate stop. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.



anthracite | RAL 7016 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
green | RAL 6005 ●



„I” SLATS

SERIES „I SLATS”


FENCE PANELS

Our fence panels are a perfect fit for modern houses. Their main purpose is to aesthetically separate the property from the surrounding environment and provide privacy.

We manufacture fence panels in the following specifications:


Dimensions: 1,553(h) x 2,000(l) mm, material: galvanized steel, number of slats: 9, surface finish: powder coated with exterior paint. Available colours: anthracite RAL 7016, dark grey RAL 7031, black RAL 9005, green RAL 6005.

As spare and supplementary accessories, we recommend: a cover strip and a cover profile to ensure clean lines for the fence panel. As additional spare accessories, you can use: post cap, corner cap, end cap, continuous cap. Posts are available for concrete or base installation. **Post material is hot-dip galvanized steel, subsequently coated with powder paint.** Refer to the manual for each specific fence panel for the use and installation of all spare and additional accessories. Ensure that safety regulations are followed during installation and use suitable protective gear, such as gloves and safety goggles.




GATES

We also offer modern and attractive gate variants designed for those seeking timeless solutions with long durability. **We manufacture frames and posts from stainless steel, and other parts are made from galvanized steel, all subsequently powder-coated.** We have 2 types of gates: sliding gates and swing gates with or without a drive. **The gate's opening direction can be determined during installation (left/right).**



WICKET GATES

Another product offered for complete fencing of your property is a wicket gate. **We manufacture frames and posts from stainless steel, and other parts are made from galvanized steel, all subsequently powder-coated.** **The gate's opening direction can be determined during installation (left/right).**



FENCE PANELS „I SLATS”

Steel Fence

TYPES OF FENCE PANEL INSTALLATIONS


A | 1x Foundation

The package includes U-profiles, slats, connecting material (screws) for attaching slats to U-profiles. As optional accessories, you can order a cover profile to neatly conceal the connecting screws.

Dimensions: 1,193(h) x 2,000(l) mm, material: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, you can place the entire fence panel between the pre-built posts. The internal dimension between the posts must be 2,000 mm. Attach the fence panel to the posts using suitable connecting material (not included in the package). A manual for the installation of each fence panel type is provided in the package.

CAUTION! If using a cover profile, follow the manual. The cover profile is attached to the fence panel before securing the panel to the posts.




B | 2x Foundation

The package includes U-profiles, slats, connecting material (screws) for attaching slats to U-profiles. As optional accessories, you can order a cover profile to neatly conceal the connecting screws.

Dimensions: 833(h) x 2,000(l) mm, material: galvanized steel, number of slats: 5, surface finish: powder coated with exterior paint.

Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, you can place the entire fence panel between the pre-built posts. The internal dimension between the posts must be 2,000 mm. Attach the fence panel to the posts using suitable connecting material (not included in the package). A manual for the installation of each fence panel type is provided in the package.

CAUTION! If using a cover profile, follow the manual. The cover profile is attached to the fence panel before securing the panel to the posts.




C | Installation of 50x50 mm Post in Concrete

The package includes U-profiles, slats, connecting material (screws) for attaching slats to U-profiles. As optional accessories, you can order a 50x50 mm post, continuous cover strip, end cover strip, 50x50 mm post cap, continuous post cap, end cap.

Dimensions: 1,553(h) x 2,000(l) mm, material: galvanized steel, number of slats: 9, surface finish: powder coated with exterior paint.

The first important step is the correct embedding of the posts in concrete. Each post for concrete has a hole on one side. This hole is used to hang the post on a hook during painting in the powder coating line. Embed the post in the ground with the side with the hole. The depth in the ground is about 800 mm. Keep the post angle at 90° and the spacing at 2,000 mm (internal dimension between the posts).

Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, you can place the entire fence panel between the posts. Attach the panel to the posts using suitable connecting material (not included in the package, TEX screws are recommended). A manual for the installation of each fence panel type is provided in the package.




D | Installation of 50x50 mm Post on Base

The package includes U-profiles, slats, connecting material (screws) for attaching slats to U-profiles. As optional accessories, you can order a 50x50 mm post with base, continuous cover strip, end cover strip, 50x50 mm post cap, continuous post cap, end cap.

Dimensions: 1,553(h) x 2,000(l) mm, material: galvanized steel, number of slats: 9, surface finish: powder coated with exterior paint.

Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, you can place the entire fence panel between the posts. Attach the panel to the posts using suitable connecting material (not included in the package, TEX screws are recommended). A manual for the installation of each fence panel type is provided in the package.



anthracite | RAL 7016 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
green | RAL 6005 ●

SWING GATES „I SLATS”

Steel swing gates, mechanical or with electric drive

GATE INSTALLATION TYPES


A | Swing Gate with Drive, Installation in Concrete

Included in the package are frames, U-profiles, cover strips, slats, connecting material, hinges, profiles for attaching the gate opening mechanism. As optional accessories, you can order a 100x100 mm post, post cap.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it using TEX screws.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. A manual for the installation of each gate type is provided in the package. The locking is done automatically with servo motor; the servo motor is not included in the package.




B | Swing Gate with Drive, Installation on Base

Included in the package are frames, U-profiles, cover strips, slats, connecting material, hinges, profiles for attaching the gate opening mechanism. As optional accessories, you can order a 100x100 mm post with base, post cap.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it using TEX screws.

For attaching the gates to posts, half hinges are prepared on the right and left wing. Attach the upper and lower, left and right sides, and the gate is functional. A manual for the installation of each gate type is provided in the package. The locking is done automatically with servo motor; the servo motor is not included in the package.




C | Mechanical Swing Gate, Installation in Concrete

The package includes frames, U-profiles, cover strips, slats, connecting material, hinges, lock, handle, stop cap, gate locking. As optional accessories, you can order a 100x100 mm post, post cap.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it using TEX screws. Install the gate locking.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. The remaining steps include mounting the handle, lock and stop cap. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.




D | Mechanical Swing Gate, Installation on Base

The package includes frames, U-profiles, cover strips, slats, connecting material, hinges, lock, handle, stop cap, gate locking. As optional accessories, you can order a 100x100 mm post with base, post cap.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strips, and you can insert the entire fence panel into the frame and secure it using TEX screws. Install the gate locking.

A half hinge is prepared on the right and left wing for attachment to the posts. Attach the upper and lower, left and right sides, and the gate is functional. The remaining steps include mounting the handle, lock and stop cap. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.



anthracite | RAL 7016 ● black | RAL 9005 ●
dark grey | RAL 7031 ● green | RAL 6005 ●

SLIDING GATES „I SLATS”

Steel sliding gates with electric drive

GATE INSTALLATION TYPES

A | 100x100 mm Post for Concrete

The package includes frames, U-profiles, cover strips, top profiles, slats, connecting material, end caps, bottom C-profile, drive accessories. As optional accessories, you can order a 100x100 mm post, post cap.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.


First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strip.

If you have completed the fillings, set the gate and set the support trolleys in hardened concrete, you can place the gate body on the support trolleys. The installation itself is very simple; the support profile on the bottom of the gate can be easily and conveniently mounted on the support trolleys. Then, check the smoothness of the gate's movement and adjust the gate using the tilt adjustment screws.

Next, install the guide wheel into the bottom C-profile of the drive, place the drive pocket and upper stop on the end post, and fit end caps into the supporting C-profile. The guide wheel lightens the trolleys and the C-profile in the closed position.

Finally, insert entire fence panels into the frames and secure them with TEX screws. A manual for the installation of each gate type is provided in the package.

A properly seated gate should not exert significant resistance during movement or drag in any way during closing; the movement must be smooth and even. The locking is done automatically with servo motor; the servo motor is not included in the package.



B | 100x100 mm Post on Base

The package includes frames, U-profiles, cover strips, top profiles, slats, connecting material, end caps, bottom C-profile, drive accessories. As optional accessories, you can order a 100x100 mm post with base, post cap.

Dimensions: 1,461(h) x 4,200(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.


First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strip.

If you have completed the fillings, set the gate and set the support trolleys in hardened concrete, you can place the gate body on the support trolleys. The installation itself is very simple; the support profile on the bottom of the gate can be easily and conveniently mounted on the support trolleys. Then, check the smoothness of the gate's movement and adjust the gate using the tilt adjustment screws.

Next, install the guide wheel into the bottom C-profile of the drive, place the drive pocket and upper stop on the end post, and fit end caps into the supporting C-profile. The guide wheel lightens the trolleys and the C-profile in the closed position.

Finally, insert entire fence panels into the frames and secure them with TEX screws. A manual for the installation of each gate type is provided in the package.

A properly seated gate should not exert significant resistance during movement or drag in any way during closing; the movement must be smooth and even. The locking is done automatically with servo motor; the servo motor is not included in the package.



anthracite | RAL 7016 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
green | RAL 6005 ●

WICKET GATES „I SLATS”

Steel Wicket Gates

GATE INSTALLATION TYPES


A | 100x100 mm Post for Concrete

The package includes a frame, U-profiles, cover strips, slats, connecting material, hinges, lock, handle, stop cap, gate stop. As optional accessories, you can order a 100x100 mm post, post cap.

Dimensions: 1,461(h) x 900(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strip, and you can insert the entire fence panel into the frame and secure it with TEX screws.

A half hinge is prepared on the gate frame for attachment to the posts. Attach the top and bottom one and the gate is functional. The remaining steps include mounting the handle, lock and gate stop. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.




B | 100x100 mm Post on Base

The package includes a frame, U-profiles, cover strips, slats, connecting material, hinges, lock, handle, stop cap, gate stop. As optional accessories, you can order a 100x100 mm post, post cap.

Dimensions: 1,461(h) x 900(l) mm, frame and post material: stainless steel, material of filling: galvanized steel, number of slats: 7, surface finish: powder coated with exterior paint.

First, assemble the fillings; the process is the same as for the fence panel. Insert individual slats into U-profiles and secure them with screws. Once the slats are attached, attach the cover strip, and you can insert the entire fence panel into the frame and secure it with TEX screws.

A half hinge is prepared on the gate frame for attachment to the posts. Attach the top and bottom one and the gate is functional. The remaining steps include mounting the handle, lock and gate stop. A manual for the installation of each gate type is provided in the package. The locking is manual and lock is not included in the package.



anthracite | RAL 7016 ●
dark grey | RAL 7031 ●

black | RAL 9005 ●
green | RAL 6005 ●



WIRE PROGRAM



FEROPLAST spol. s r.o. is a Czech manufacturer of metal structures and wire products based in Chotěboř. The company has been operating since 1991 and became part of the ANACOT CAPITAL a.s. group in 2025. It focuses on custom production, from small series of pieces to large projects for well-known global brands. More than 75% of production is exported.

The product range includes a wide variety of items. From light wire baskets, hooks, and shelves, through sales and display racks, to robust components for storage systems. Most products are finished with powder coating or polyethylene coating, which ensures durability and a long service life.

The main strengths of FEROPLAST are production flexibility and an individual approach. The company offers a complete service from design and technical solutions, through production and assembly, to packaging and logistics.



Goals and values

The company's mission is to deliver high-quality and innovative products that meet the specific needs of customers. FEROPLAST specializes in custom production, from small batches to large deliveries for global brands. Its core values are quality and flexibility. The company values its employees as the key to success.



Strategy and vision

The company's vision is to be a leading European manufacturer of metal and wire structures, sales racks, and display elements. Its strategy is to expand the product portfolio, optimize production, and grow into new markets.

1

Modernization of production technologies and digitalization of processes.

2

Strengthening competitiveness and production flexibility.

3

Innovation and development of new products.

Our goal? So that the customer doesn't have to worry about anything. We'll handle everything from the design to the delivery.

Lucie, international sales

FEROPLAST carries out projects for major retail chains and multinational companies in the food, consumer goods and retail sectors. Our products can be found on shelves, in stores, and in warehouses across Europe.

Pepsi, Nestlé, Danone, Kraft, Gillette, Duracell, Dřevojas, Lidl, Lindt, Malfini, Laugo Arms, Trestles-shop, GCE, Nespresso, Aperol, Fiskars, Mattoni, Kaufland, Orion.

These references confirm our ability to deliver high-quality and reliable products for renowned brands.



Production Facilities

Feroplast operates two production sites. The facility on Soukenická Street focuses on wire program production and includes a PE coating line. The newer site on Sokolohradská Street features an office building, paint shop, metalworking operations, and storage areas. Additional production capacity and technologies are provided through cooperation with partner companies.

Wire and Profile Processing



- Cutting
- bending and forming
- Spot welding and semi-automatic welding



Metalworking

- CO₂ and TIG welding
- Drilling
- cutting and milling
- Turning and grinding
- Bending of tubes, box profiles
- Pressing and punching

Sheet Metal Processing



- Shearing and punching
- Bending
- Thermal cutting and dividing



Surface Finishing

- Powder coating (box 2300 × 1800 × 1200 mm)
- Polyethylene coating (size up to 1400 × 700 × 550 mm)

Additional Services



- In-house design and prototyping
- Product assembly and packaging
- Tailored logistics solutions



Galvanized Sheet Metal Parts

- Shelves for shelving systems
- slats, fire protection components
- Safety galvanized sheet metal



ČSN EN ISO 3834-2:2022
quality certificate for welding processes



ČSN EN 1090-2 +A1 (732601)
execution of steel structures

Comparison of surface finishes


Surface finish	Colour palette	Resistance and protection	Typical use
Zinc-plated			hot-dip (outdoor), bright zinc (indoor)
Powder-coated			indoor and outdoor application
PE-coated			wet and chemical environment



Almost everything we produce is custom-made. This ensures maximum quality control and full customization tailored to the customer's specific requirements.

Petr, head of production

Process



For long-term partners, we offer repeat series production with very fast turnaround times.

Prepared jigs and established processes allow us to handle repeat production quickly, economically, and efficiently.

Universal display rack

MS-Z1

Base on wheels



MS-P1

Wire shelf



MS-P2

Wire basket shelf



MS-P3

Wooden shelf



MS-P4

Metal shelf



MS-P5

Metal shelf with side panel



Modular universal stand

MS-Z2

Small wall base 50 cm




MS-S3

Logo sign holder



MS-S2

Perforated back panel



MS-S1

Full back panel



MS-Z3

Wall base 150 cm



Modular wall set



MS-H1

Fixed crossbar



MS-H2

Empty crossbar



MS-H3

Wide hook




MS-H4

Straight hook






MS-H5

Tool hook



Accessories for pegboard (EURO panel)





H-11

Hanging shelf




H-12

Aerosol holder




Adjustable size




H-13

Towel holder


H-14




H-15



H-16



H-17



During my time at Ferroplast, we have created more than 1,000 types of hooks.

Tomáš (production)



Advertising stands



RS-1

Hanging display stand



RS-2

Small custom exhibition stand

Classic advertising stand

RS-3



RS-4



RS-5

Hanging advertising stand



RS-6



RS-7

Supermarket shelf

RS-8



RS-9



Display rack



RS-10

Stand on wheels



RS-11

Exhibition display stand



RS-12

Display stand for textiles



RS-13

Frame structures for stands



RS-14

Small tabletop display stand



RS-15

Bench and table combo

POS elements




POS-1

Digital and information kiosks



POS-2

Writing board



POS-3

Bicycle stand



POS-4

Sign and hanging board




POS-5

Trash can & ashtray

Waste bins

POS-6



POS-7

Standards for printed materials

ST-2



ST-3



ST-1

Stand for printed materials



ST-4




ST-5



ST-6

Metal wire stand for printed materials



Industrial stackable baskets




KSP

Industrial stackable basket



KSP-D

Divider for industrial basket



KSP-VD

Top cover for industrial basket




KSP-K

Wheeled base for basket



KSP-P

Fixed base for industrial basket




Set of stackable industrial baskets




Dimensions	Industrial stackable basket	Divider	Top cover	Fixed base	Wheeled base
350 × 660 × 460 mm	KSP-1	KSP-D1	KSP-VD1	KSP-P1	KSP-K1
350 × 1050 × 460 mm	KSP-2	KSP-D2	KSP-VD2	KSP-P2	KSP-K2
400 × 1050 × 470 mm	KSP-3	KSP-D3	KSP-VD3	KSP-P3	KSP-K3
480 × 800 × 680 mm	KSP-4	KSP-D4	KSP-VD4	KSP-P4	KSP-K4
480 × 1050 × 680 mm	KSP-5	KSP-D5	KSP-VD5	KSP-P5	KSP-K5


Large stackable baskets




KS
Base with wheels



KS-S
Stackable basket



KS-D
Divider



KS-P
Top shelf

Set of stackable baskets

Dimensions	Base with wheels	Stackable basket	Divider	Top shelf
400 × 430 × 310 mm	KS-1	KS-S1	KS-D1	KS-P1
600 × 430 × 310 mm	KS-2	KS-S2	KS-D2	KS-P2
900 × 430 × 310 mm	KS-3	KS-S3	KS-D3	KS-P3
900 × 500 × 410 mm	KS-4	KS-S4	KS-D4	KS-P4

We've sold thousands of them, and each one has to be exactly the same.

Martina (economist)

Universal components

K-1

Basket with handles



K-2



K-3



K-4



K-5



K-6



K-7



K-8




K-9



K-10



HK



HK-4



ID	Title	Dimensions
K-1	Basket with handles	98 × 360 × 282 mm
K-2	Small basket	350 × 200 × 120 mm
K-3	Low shelf basket	350 × 400 × 120 mm
K-4	Low shelf basket	350 × 600 × 120 mm
K-5	Low shelf basket	350 × 800 × 120 mm
K-6	Deep wire basket	300 × 625 × 180 mm
K-7	Long wire basket	300 × 1000 × 180 mm
K-8	Laundry basket	323 × 410 × 695 mm
K-9	Laundry basket	555 × 290 × 290 mm
K-10	Laundry basket	540 × 400 × 290 mm
HK-1	Dump bin	550 × 350 × 780 mm
HK-2	Dump bin	550 × 950 × 770 mm
HK-3	Dump bin with door	800 × 600 mm
HK-4	Wheeled dump bin	800 × 600 mm

Mobile baskets





KP-1

Cleaning basket



KP-2

Oil transport trolley



KP-3

Trolley on wheels



Adjustable size



KP-4

Folding airport basket

Household items



VD-1

Dish drainer




VD-2

Plate drainer



VD-3

Food carrier



VD-4



Under desk shelf

Promotional Products




We use lasers to engrave logos onto steel.

Irena (production)




RP-4
Wire basket

Meshes



S-1

Protective mesh



S-2

Protective machine mesh




S-3

Protective mesh




S-4

Rack shelf



S-5

Bent shelf



S-6

Interior mesh

For us, it starts with a piece of wire and ends with a finished product on the shelf.

Nada (sales department)

Protective components



OP-1

Protective galvanized sheet metal



OP-2

Protective frame




OP-3

Protective frame



OP-4

Protective frame



OP-5

Corner connector



OP-6

Protective foot



OP-7

Striped protective foot

A close-up photograph of a person in a dark suit and white shirt sitting at a wooden table. They are holding a silver pen and writing in a red notebook. The notebook contains technical diagrams, including a circle and a triangle. In the background, another person in a suit is visible, with their hands clasped. On the table, there are a pair of glasses and a small brown object. The overall scene suggests a professional meeting or a technical discussion.

WE ARE MEMBER OF INDUSTRY GROUP
ANACOTT CAPITAL

Shareholder's Foreword

Successful business activities in the past have given us the opportunity to invest our own capital in companies that have built their position in the market, and thanks to this, we have begun to create a strong corporate structure.

Our group currently consists of 9 companies with more than 850 employees. The total annual turnover of all companies in the group is more than 2.23 billion Czech crowns.

The companies in our portfolio progressively invest in new technologies so that they can offer the most modern services in the given industrial sectors in the long term. Currently, we focus primarily on investments in the Czech Republic.



Mgr. Pavel Drobil



ELFE manufactures welded steel structures and engineering units, including surface treatment and assembly. ELFE's products find application in equipment manufactured by world suppliers for areas such as oil and gas extraction, surface coal mining, maritime handling equipment, and transportation equipment. The company is regularly certified according to ISO standards and approved for production according to customer requirements. Almost the entire production volume is exported, mostly to Norway, Germany, France, the United Kingdom, India, Denmark, the USA, and India.


ELFE produces winches, parts of anchoring systems, and other equipment such as gearboxes for ships and oil platforms, deck ship cranes, welded structures for underwater applications intended for oil and natural gas extraction, components of machines for surface coal mining, and various other machine parts for other types of industry.

The main production processes of the company include purchasing and material cutting by machine cutting, oxygen and plasma cutting, bending, machining (drilling, CNC milling and turning, grinding), welding, dimensional and non-destructive testing (NDT), load testing of finished products, surface treatment by wet painting, 3D measurement of large structures using a camera system, assembly, and completion of accompanying product documentation. We are also able to manufacture based on production documentation provided by the customer.

Key Facts:

- business area: material cutting and preparation for welding, bending, welding, CNC machining, blasting, painting, assembly, and load testing
- year of establishment: 1993
- number of employees: 104
- export share: 98%
- main export destinations: Germany, Norway, USA, UK, Denmark, France, India
- year of inclusion in the ANACOT CAPITAL group: 2016
- ANACOT CAPITAL a.s. share in the company: 100%
- company headquarters: Krnov, Bruntál District, Moravian-Silesian Region
- built-up area: 7,250 m²
- land area: 11,951 m²

www.elfe.cz





Production Capabilities



OXYGEN AND PLASMA CUTTING

BENDING

WELDING (MANUAL AND ROBOTIC))**, MAG, CW/FCAW**

CNC MACHINING

WRF130 / x=9200mm, y=2900mm, z=1600mm

FBM 130 / x=9500mm, y=2000mm, z=800mm

FBF-M 8000 with automatically exchangeable heads. Plate design with integrated rotary table movable in the transverse direction / x=8000mm, y=1500mm, z=3000mm.

DRILLING

MILLING

TURNING

GRINDING

BLASTING

Size of blasting and painting box (16 x 5.8 x 4 m)

SURFACE TREATMENTS

ASSEMBLY

NDT

v-nass

V-NASS, a.s. has more than 100 years of continuous history, during which it has gained a lot of experience and built an excellent reputation both at home and worldwide.

In the middle of 2016, V-NASS, a.s. became a member of the ANACOT CAPITAL group, with whose contribution it overcame the crisis in the oil markets, to then successfully follow up on its best results from the past in subsequent years.

Currently, the company focuses on very precise and technologically demanding production of machine parts mainly for subsea oil extraction, nuclear power plants, and renewable sources (wind power plants).


Both production and inspection are subject to strict quality standards. The quality management system is certified according to ISO 9001:2015 or ISO 3834-2. The entire spectrum of NDT controls delivered by fully accredited testing facilities and laboratories with certifications according to ISO/IEC 17025 is performed on the manufactured parts.


The export share is more than 90%, mostly supplied to the United Kingdom, Norway, the USA, Malaysia, Germany, and Brazil. The main services provided are: turning, milling, surfacing with corrosion-resistant materials, grinding, heat treatment, quality control using CMM technologies, and product assembly.

Key Facts:

- business area: CNC multi-axis turning and milling, TIG surfacing, heat treatment, grinding, dimensional control
- year of establishment: 1917
- number of employees: 140
- export share: 90%
- main export destinations: United Kingdom, Norway, USA, Malaysia, Germany, and Brazil
- year of inclusion in the ANACOT CAPITAL group: 2016
- ANACOT CAPITAL a.s. share in the company: 100%
- company headquarters: Ostrava, Ostrava-city District, Moravian-Silesian Region
- built-up area: 7,575 m²
- land area: 12,345 m²

www.v-nass.cz





Production Capabilities

CNC, NC, OR CONVENTIONAL TURNING
on horizontal and vertical lathes

CNC, NC OR CONVENTIONAL MILLING
on vertical and horizontal centers

SURFACE GRINDING

SURFACING using the TIG method

HEAT TREATMENT PWHT, oil quenching protective atmosphere furnace, vacuum oil quenching, annealing

ELECTROCHEMICAL DEBURRING

3D OR CONVENTIONAL MEASUREMENT

CHEMICAL ANALYSIS by X-Ray NITON spectral analysis

DRY ICE CLEANING

SPECIAL VISUAL INSPECTIONS with Olympus Iplex or HawkEye optical instruments with video recording

PRESSURE TESTING FACILITY UP TO 3750 BAR, medium water/glycol

COMPRESSED GAS TESTING in a water bath up to 1500 bar, medium nitrogen

HARDNESS MEASUREMENT OF METAL MATERIALS HBW, HB, HV, HRC static hardness testers, Equotip

MEASUREMENT OF ELECTRICAL CONDUCTIVITY OF STRUCTURES

MULTIFUNCTIONAL MACHINING INCLUDING DEEP DRILLING, maximum workpiece dimensions D 1,500 - 5,000 mm, 10,000 kg

ASSEMBLY AND TESTING OF ASSEMBLIES FOR THE OIL INDUSTRY

CNC TUBE BENDING



The history of the industrial forge dates back to 1955 when it was built and put into operation as part of the ZPS Hulín company. At that time, it served mainly for the production of free forgings for the engineering and military production areas. Since 2017, TRIANGOLO spol. s r.o. has been part of the ANACOT CAPITAL group.

The product portfolio can be divided into two basic parts - these are supplies of forgings for the engineering industry (manufacturers of construction equipment, energy equipment, production machines, bearings, etc.) and supplies of forgings for rail transport (tyres for trams, trains, and metro, retaining rings, axles, etc.). As part of cooperation with steel suppliers, the company has also successfully participated in the development of specific quality grades of material for the needs of bearing manufacturers in the engineering industry. Approximately 10,000 tons of steel are processed annually in this industrial forge. The production area is spread over an area of more than 30,000 m.

Since 1998, the company has been regularly certified according to ISO standards and holds a TÜV Management Service quality certificate, which is a necessity in the framework of cooperation with foreign customers.

Key Facts:

- business area: industrial forge (forging, annealing, blasting, hardening, machining, etc.)
- year of establishment: 1955
- number of employees: 100
- export share: 85%
- main export destinations: Germany, Slovenia, Spain, Slovakia, Scandinavia
- year of inclusion in the ANACOT CAPITAL group: 2017
- ANACOT CAPITAL a.s. share in the company: 100%
- company headquarters: Hulín, Kroměříž District, Zlín Region
- built-up area: 9,574 m²
- land area: 24,462 m²

www.triangolo.cz





Production Capabilities



HEAT TREATMENT

In the area of heat treatment of forgings, steel, and metallurgical material, we perform various types of annealing and hardening of carbon, alloyed, tool steels, etc.

FORGING

We offer forgings of all quality grades of steel with subsequent heat treatment, roughing, and tests according to customer requirements. From the perspective of technologies used, we offer die forgings of rotary shapes, seamless rolled rings, and free forgings.

MACHINING

Based on the requirements of our customers, we also provide machining of manufactured forgings as the last phase of steel processing in our production.

QUALITY CONTROL

As part of the final inspection, we perform both dimensional control or hardness control, as well as, for example, ultrasonic tests in accordance with ČSN, EN, ISO, DIN, SEP, SEL, etc. standards according to customer requirements. Since 1998, the company has been regularly certified according to ISO standards and holds a TÜV Management Service quality certificate, and since 2017, our company also holds a technical competence certificate for supplies for ČD, a.s.

LISA TECH a.s. is a globally oriented company that, within the ANACOT CAPITAL group portfolio, is not a hundred-percent subsidiary (ANACOT CAPITAL a.s. owns a 40% share, other partners are Unis, a.s. with a 30% share and SMART TECHNIK a.s. also with a 30% share in the company).

It deals with the sale, production, and installation of lines focused on the usability of sorted municipal waste. Thanks to a unique patent technology, it is able to realize functional boards from waste, which have a wide usability both in construction and in other business fields.

The production of individual components of the ECO-line is carried out in our economically connected production plants. This achieves a unified quality management process.

90% of our production is exported outside the Czech Republic.

Key Facts:

- business area: sale, production, and installation of lines for the usability of sorted municipal waste
- year of establishment: 2021
- main export destinations: USA, Australia, New Zealand, Sweden
- ANACOT CAPITAL a.s. share in the company: 40%
- number of employees: 15
- company headquarters: Ostrava, Ostrava-city District, Moravian-Silesian Region

www.lisatech.cz





Services Offered



PROJECT CALCULATION AND ITS RETURN ON INVESTMENT

HELP WITH PROVIDING DOCUMENTATION FOR NEGOTIATIONS WITH AUTHORITIES

LINE MEASUREMENT AND LAYOUT CREATION

PRODUCTION OF INDIVIDUAL COMPONENTS WITHIN THE AGREED CAPACITIES OF LISA TECH COMPANIES

PACKAGING AND TRANSPORT OF TECHNOLOGY ANYWHERE IN THE WORLD

INSTALLATION OF TECHNOLOGY AND COMMISSIONING INCLUDING OPERATOR TRAINING

SERVICE SUPPORT FOR TECHNOLOGY EVALUATION AND IMPLEMENTATION OF CUSTOMER FEEDBACK INTO TECHNOLOGY

FEROPLAST spol. s r.o. is headquartered in Chotěboř, in the Havlíčkův Brod district, was founded on October 30, 1991, and is in Czech private ownership. Since 2025, it has been part of the ANACOT CAPITAL group.

The main production program of the company, besides elements for storage systems, are especially wire products, company and promotional stands, sales shelving, and other advertising elements. In this area, it is one of the significant players in the Czech and European market.

The competitive advantage is specialization in one-time orders with specific requirements for design, technical solution, or innovation. Typical customers include retail chains, multinational companies in the food sales sector, or hyper and supermarket chains.

Wire products are historically the oldest production program of the company. They include airy and timeless design baskets, holders, nets, hooks, stands, or shelves.

On the contrary, elements for storage systems are robust and large protective feet, protective frames, restraining nets, cross beams, and other components.

The vast majority of production is surface-treated by painting or applying polyethylene in a fluidized bed.

Company products:

Sales and promotional stands, baskets, wire program products, elements of shelving systems, assembled sets of sales systems.

Company services:

Material cutting, bending, machining, welding, surface treatments by painting, surface treatments by applying PE and PA in a fluidized bed.

Key Facts:

- business area: welding, machining, bending, surface treatments
- year of establishment: 1991
- number of employees: 71
- export share: 75%
- main export destinations: Belgium, Germany, Austria, Netherlands
- year of inclusion in the ANACOT group: 2025
- ANACOT CAPITAL a.s. share in the company: 100%
- company headquarters: Chotěboř, Havlíčkův Brod District, Vysočina
- built-up area: 4,902 m²
- land area: 16,775 m²

www.feroplast.cz





Production Capabilities



MANUAL AND ROBOTIC WELDING CO2, MIG, MAG

DRILLING

TURNING

CUTTING

BENDING

GRINDING

MILLING

PAINTING

(box 2300x1800x1200 - WxHxD)

PA AND PE COATING BY IMMERSION IN FLUIDIZED BED

(max. product size 1400x700x550 - LxWxH)

This is a service subsidiary that handles all purchases in the group. It was established in 2018 to centralize purchases and achieve greater efficiency in the pricing policy of existing suppliers in individual companies.

The main area of central purchases includes all energy, protective work equipment, IT services, marketing and PR services, mobile operator services, renewal and replenishment of the vehicle fleet, handling equipment, etc.

Key Facts:

- business area: central purchasing within the ANACOT CAPITAL group
- year of establishment: 2018
- ANACOT CAPITAL a.s. share in the company: 100%
- number of employees: 8
- company headquarters: Ostrava, Ostrava-city District, Moravian-Silesian Region

www.anacot.cz





RACK INSTALLATION SERVICES

-Anywhere in
the Czech Republic!



jana.staniczkova@trestles.cz

Your project journey – from inquiry to delivery

1 Inquiry

We are ready to help you choose the best solution for your new project.

2 Visit

We'll come to you and take a look at your facility to get a clear idea of how to design the best solution.

3 Visualization

We will prepare a 3D visualization of the entire project to help us work together toward the best possible outcome.

4 Offer

You will receive a detailed offer for the complete project implementation, including installation.

5 Order

Once the 3D visualization and the offer are approved, we will begin executing the project.

6 Delivery

We will deliver, install, and hand everything over exactly the way you wanted.

Our project portfolio

Leguano
Ostrava



Canis
Ostrava



Berger
Safety



VIVO
footwear



City Hospital
OSTRAVA



ASSES
Group



B2B Sales Representative
obchod@trestles.cz



Complete equipment for your warehouse and workshop





TRESTLES, A.S.

č.p. 1168 | 735 71 Dětmorovice | Czech Republic
IČ: 06673465 | DIČ: CZ06673465

+420 553 039 719 | obchod@trestles.cz | www.trestles.eu

FEROPLAST spol. s r.o.

Soukenická 136 | 583 01 Chotěboř | Czech Republic
IČ: 15059031 | DIČ: CZ15059031

+420 569 626 607 | feroplast@feroplast.cz | www.feroplast.cz